



**Your experts for
safety, facility
and equipment
identification**

Product Catalog

BradyPrinter M611 / BMP®61 Ribbons

BradyID.com/s36



BradyPrinter M611 and BMP61 Print Ribbons

Print ribbons are supplied in cartridge form and easily fit into the side of the printer and do not unravel or roll away when outside the printer.

Using the correct material and ribbon pair is critical in creating durable, long-lasting and smear-proof print. Use the ribbon compatibility guide on the next page to help determine which ribbon is best suited for your label material.

Fits Printers	Catalog #	Color	Description	Ribbon Size
M611, BMP61	M61-R4310	Black	R4300 Series	2 in. x 75 ft. (50.8 mm x 22.85 m)
M611, BMP61	M61-R6010	Black	R6000 Series	2 in. x 75 ft. (50.8 mm x 22.85 m)
M611, BMP61	M61-R6210	Black	R6200 Series	2 in. x 75 ft. (50.8 mm x 22.85 m)
M611, BMP61	M61-R6410	Black	R6410 Series	2 in. x 75 ft. (50.8 mm x 22.85 m)
M611, BMP61	M61-R6610	Black	R6600 Series	2 in. x 75 ft. (50.8 mm x 22.85 m)
M611, BMP61	M61-R6710-WT	White	R6710 Series	2 in. x 75 ft. (50.8 mm x 22.85 m)
M611, BMP61	M61-R6810-WT	White	R6800 Series	2 in. x 75 ft. (50.8 mm x 22.85 m)
M611, BMP61	M61-R4410-RD	Red	R4400 Series	2 in. x 75 ft. (50.8 mm x 22.85 m)
M611, BMP61	M61-R4410-BL	Blue	R4400 Series	2 in. x 75 ft. (50.8 mm x 22.85 m)



How many labels can be printed per ribbon?

Have you ever wondered approximately how many labels you can print from one BMP61 ribbon? Try this formula:

Note: Our standard ribbons are 900 in. (75 ft.) long.

Step 1: label height + 0.10 = X

Step 2: 900 inches ÷ X = total labels per ribbon

Example: PLT-19-422 is a 1.0 inch tall label
 1.0 inch label height + 0.10 = 1.10
 900 inches ÷ 1.10 = 818 labels per ribbon

TLS®2200 Print Ribbons

Although the TLS2200 and the BMP61 share label rolls, each printer requires its own printer-specific ribbon.

Fits Printers	Catalog #	Color	Description	Ribbon Size
TLS2200 Only	R4310	Black	R4300 Series	2 in. x 75 ft. (50.8 mm x 22.85 m)
TLS2200 Only	R6010	Black	R6000 Series	2 in. x 75 ft. (50.8 mm x 22.85 m)
TLS2200 Only	R6210	Black	R6200 Series	2 in. x 75 ft. (50.8 mm x 22.85 m)
TLS2200 Only	R6410	Black	R6400 Series	2 in. x 75 ft. (50.8 mm x 22.85 m)
TLS2200 Only	R4410-WT	White	R4400 Series	2 in. x 75 ft. (50.8 mm x 22.85 m)
TLS2200 Only	R6810-WT	White	R6800 Series	2 in. x 75 ft. (50.8 mm x 22.85 m)
TLS2200 Only	R4410-BL	Red	R4400 Series	2 in. x 75 ft. (50.8 mm x 22.85 m)
TLS2200 Only	R4410-RD	Blue	R4400 Series	2 in. x 75 ft. (50.8 mm x 22.85 m)



Portable Printers

M611 / BMP61

Material and Ribbon Compatibility

B-# Material		M61-R4310 (Black)	M61-R6010 (Black)	M61-R6210 (Black)	M61-R6410 (Black)	M61-R6610 (Black)	M61-R4410-WT (White)	M61-R6710-WT (White)	M61-R6810-WT (White)	M61-R4410-RD (Red)	M61-R4410-BL (Blue)
B-109	Polyethylene tag	●		●							
B-145	Polyethylene tag		●								
B-145FR	Polyethylene tag		●	▲							
B-321	Polyolefin			●							
B-342	PermaSleeve® polyolefin	●				●		▲			
B-344	PermaSleeve® polyolefin		●			●		▲			
B-345	PermaSleeve® high-temp polyolefin		●			●					
B-351	Destructible vinyl		●	●			▲		▲		
B-352	Destructible vinyl		●								
B-362	Destructible vinyl		●								
B-390	Durasleeve® polypropylene		●	▲		●					
B-403	Dissolvable paper	●									
B-412	Polypropylene tag	●		●							
B-422	Polyester		●				●			▲	▲
B-423	Polyester		●				●			▲	▲
B-424	Paper	●									
B-425	Polypropylene	●		●							
B-427	Self-laminating vinyl	●									
B-428	Polyester	●									
B-430	Polyester		●	●			▲			▲	▲
B-432	Polyester		●				●			▲	▲
B-435	Polyester		●								
B-437	Self-extinguishing polyvinylfluoride	●		●							
B-439	Vinyl		●				●			▲	▲
B-459	Polyester		●								
B-461	Self-laminating polyester	●		●							
B-473	Polyester		●								
B-483	Polyester		●								
B-486	Polyester	●									
B-488	Polyester	●									
B-489	Polyester	●									
B-490	Freezerbondz™ polyester	●									
B-494	Color polyester				●						
B-498	Vinyl cloth	●	▲	▲		●					
B-499	Nylon cloth	●		●							
B-593	Polyester - eprep		●				●			▲	▲
B-642	Self-extinguishing polyvinylfluoride	●		●							
B-717	Polyimide		●								
B-718	Polyimide		●								
B-719	Polyimide		●								
B-724	Polyimide	●									
B-727	Polyimide		●								
B-7351	Void print vinyl		●								
B-7425	Polypropylene	●									
B-7546	Void print polyester		●								
B-7551-CL	Polyester			●							
B-7576	Void print polyester		●								
B-7593	Polyethylene - eprep		●				●			▲	
B-7597	Polyethylene	●									
B-7599-YL	Polyethylene tag			●							
B-7643	Thermoplastic polyether polyurethane		●								
B-7696	Vinyl tag		●	●							
B-8425	Polypropylene		●								
B-8451	Polyester		●								
B-8459	Polyester					●					

View BradyID.com/techdata for TDS sheets on ribbon performance specifications.

Note: Colored ribbon choice dependent upon material color.

- Recommended ribbon for use with respective material
- ▲ Acceptable ribbon for use with respective material

BMP®71 Label Printer

BradyID.com/s36



BRADY360
2 YEAR
WARRANTY

BMP®71 LABEL PRINTER

**Thousands of applications
Hundreds of labels
One label printer**

The most versatile portable printer in our offering. Painless setup, robust label offering and intuitive interface come together in our top-of-the-line portable printer.

Text and print options:

- 100's of symbols
- Reverse print
- Subscripts
- Auto font size
- Barcodes
- Serialization
- Time and date stamps
- Underline
- Italics and bold
- Vertical printing
- And more

Watch the demo video at
BradyID.com/bmp71

Your complete printing solution:

BMP71 label rolls page 154
BMP71 print ribbons page 170

BMP71 label printer and accessories

Catalog #	Description
BMP71	BMP71 Printer*
BMP71-QC	BMP71 Printer* w/ Quick Charger
BMP71-SC	BMP71 Printer* w/ Soft Case
BMP71-SC-QC	BMP71 Printer* w/ Soft Case and Quick Charger
M-AC-143110	BMP71 AC / Battery Adapter
M71-ADAPT-BK	Media Adapter
M71-BATT	BMP71 Battery Pack
M-USB-103788	BMP71 USB Cable
M71-CLEAN	BMP71 Cleaning Kit
M71-HC	BMP71 Hardcase
M71-QC	BMP71 Quick Charger
BMP-SC-3	BMP71 Soft Case

*Printer ships with hardcase, charger / AC adapter, (1) roll of 1.0 x 1.5 in. white die-cut labels, (1) black ribbon cartridge, media adapter, rechargeable battery, USB cable, quickstart guide, drivers CD, users guide, tutorial and 2-year limited warranty.

U.S. Patent No. 7,999,836; 8,328,442; 8,333,524.



Printer specifications

Print speed	1.5 in. / sec
Print and color capabilities	Thermal Transfer / Monochrome
Print resolution	300 dpi
PC compatibility or standalone	Standalone and PC connect
Connectivity options	USB Port B
Software compatibility	Brady Workstation Apps, LabelMark™ Software
Power supply options	NiMH battery, AC adapter
Standard warranty	2 years
Dimensions	9.5 in. W x 13.0 in. H x 4.6 in. D
Weight	4.9 lbs. (w/o tape, batteries)
Print features	
Screen size	LCD, Color, 3.5 in. QVGA
Backlit screen	Yes
Keyboard style	QWERTY, Number Keypad
Max print width	1.92 in.
Font types available	(2) Brady Alpine and Brady Fixed Width
Font sizes (pts)	4 through 174, autosizing
Multi-line label capabilities	25
Label print rotation	Yes
Data serialization	Yes, multiple and linked
Barcode capabilities and types	Code 39, Code 128 and more using Brady Workstation
Memory capacity	200 MB
Data transfer from PC	Yes
Print preview	Yes
Symbols available	500+
Label supplies	
Label / ribbon supply	Separate label roll and ribbon cartridges
Material formats supported	Continuous, die-cut labels and custom
Media width	0.235 to 2.00 in.
Types of materials	
Outdoor vinyl, nylon cloth wire ID, heat-shrink wire ID, self-laminating wire ID, removable cloth wire ID, Tedlar wire ID, datacomm cable tags, standard polyester, aggressive adhesive polyester, metallized polyester, non-adhesive tag, polyimide / electronics materials, tamper resistant materials, outdoor reflective, glow-in-the-dark, ToughStripe floor tape, ToughWash, repositionable vinyl, raised panel labels (engraved plate alternative)	
Quantity of label parts available	300+ label parts and customs
Cartridge series	
M71 series, BM71, PTL series with adapter and some BMP61 labels with adapter (TLS and BMP61 ribbons not compatible)	

The one way to faster, easier label printing



Electrical labeling



Voice and data communications



Rating plates and general ID



PermaSleeve® wire markers



Self-laminating labels



Safety labels and more



Brady Workstation Software

Desktop software for your Brady Printer

Brady Workstation has revolutionized how you design and print labels from your PC. When paired with the high-performance printing capabilities of a Brady printer, you get intuitive label set up for simple, efficient and flexible label creation.

- Suites designed with you in mind, contain apps for common safety and facility label designs, product and wire label creation, printing workflows and more
- Displays real-time information about the material installed for easy label set up
- Apps feature built-in regulations, standards, pictograms, common phrases, data importation guidance, help functions and more



Learn more on page 176 or download a free trial at Workstation.BradylD.com

Expand your label options with the BMP71 media adapter

Your BMP71 printer includes a black media adapter that allows you to convert many BMP®61 label rolls to fit your BMP71 printer. (Requires BMP71 printer firmware upgrade 1.13 or higher.)

View BMP61 label rolls on page 130–148.

Need additional adapters? Order catalog # M71-ADAPT-BK



BMP61 label roll

BMP61 label roll with black media adapter attached



Indoor and Outdoor Vinyl Labels for Safety, Facility and Lean 5S (B-595)

Continuous vinyl material is ideal for lean 5S labels, pipe markers, equipment and production area identification. These labels offer excellent resistance to oils, detergents, dirt, grime and many solvents. Permanent adhesive, very pliable, good for rough surfaces and outdoor use. 8-10 years average outdoor durability.* Temp. range: -40° F to 180° F (-40° C to 82° C). UL recognized.



Figure 33



Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
Fig. 33	M71C-250-595-WT	B-595	Vinyl	White	0.250 (6.4)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-500-595-WT	B-595	Vinyl	White	0.500 (12.7)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-1000-595-WT	B-595	Vinyl	White	1.000 (25.4)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-2000-595-WT	B-595	Vinyl	White	2.000 (50.8)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-250-595-YL	B-595	Vinyl	Yellow	0.250 (6.4)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-500-595-YL	B-595	Vinyl	Yellow	0.500 (12.7)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-1000-595-YL	B-595	Vinyl	Yellow	1.000 (25.4)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-2000-595-YL	B-595	Vinyl	Yellow	2.000 (50.8)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-500-595-BK	B-595	Vinyl	Black	0.500 (12.7)	50 (15.2)	1 roll (cont.)	M71-R4400-WT
Fig. 33	M71C-1000-595-BK	B-595	Vinyl	Black	1.000 (25.4)	50 (15.2)	1 roll (cont.)	M71-R4400-WT
Fig. 33	M71C-2000-595-BK	B-595	Vinyl	Black	2.000 (50.8)	50 (15.2)	1 roll (cont.)	M71-R4400-WT
Fig. 33	M71C-500-595-BL	B-595	Vinyl	Blue	0.500 (12.7)	50 (15.2)	1 roll (cont.)	M71-R4400-WT
Fig. 33	M71C-1000-595-BL	B-595	Vinyl	Blue	1.000 (25.4)	50 (15.2)	1 roll (cont.)	M71-R4400-WT
Fig. 33	M71C-2000-595-BL	B-595	Vinyl	Blue	2.000 (50.8)	50 (15.2)	1 roll (cont.)	M71-R4400-WT
Fig. 33	M71C-500-595-BR	B-595	Vinyl	Brown	0.500 (12.7)	50 (15.2)	1 roll (cont.)	M71-R4400-WT
Fig. 33	M71C-1000-595-BR	B-595	Vinyl	Brown	1.000 (25.4)	50 (15.2)	1 roll (cont.)	M71-R4400-WT
Fig. 33	M71C-2000-595-BR	B-595	Vinyl	Brown	2.000 (50.8)	50 (15.2)	1 roll (cont.)	M71-R4400-WT
Fig. 33	M71C-500-595-CL	B-595	Vinyl	Clear	0.500 (12.7)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-1000-595-CL	B-595	Vinyl	Clear	1.000 (25.4)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-2000-595-CL	B-595	Vinyl	Clear	2.000 (50.8)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-500-595-GD	B-595	Vinyl	Gold	0.500 (12.7)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-1000-595-GD	B-595	Vinyl	Gold	1.000 (25.4)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-2000-595-GD	B-595	Vinyl	Gold	2.000 (50.8)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-500-595-GN	B-595	Vinyl	Green	0.500 (12.7)	50 (15.2)	1 roll (cont.)	M71-R4400-WT
Fig. 33	M71C-1000-595-GN	B-595	Vinyl	Green	1.000 (25.4)	50 (15.2)	1 roll (cont.)	M71-R4400-WT
Fig. 33	M71C-2000-595-GN	B-595	Vinyl	Green	2.000 (50.8)	50 (15.2)	1 roll (cont.)	M71-R4400-WT
Fig. 33	M71C-500-595-GY	B-595	Vinyl	Gray	0.500 (12.7)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-1000-595-GY	B-595	Vinyl	Gray	1.000 (25.4)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-2000-595-GY	B-595	Vinyl	Gray	2.000 (50.8)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-500-595-LB	B-595	Vinyl	Light Blue	0.500 (12.7)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-1000-595-LB	B-595	Vinyl	Light Blue	1.000 (25.4)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-2000-595-LB	B-595	Vinyl	Light Blue	2.000 (50.8)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-500-595-OC	B-595	Vinyl	Ochre	0.500 (12.7)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-1000-595-OC	B-595	Vinyl	Ochre	1.000 (25.4)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-2000-595-OC	B-595	Vinyl	Ochre	2.000 (50.8)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-500-595-OR	B-595	Vinyl	Orange	0.500 (12.7)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-1000-595-OR	B-595	Vinyl	Orange	1.000 (25.4)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-2000-595-OR	B-595	Vinyl	Orange	2.000 (50.8)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-500-595-PK	B-595	Vinyl	Pink	0.500 (12.7)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-1000-595-PK	B-595	Vinyl	Pink	1.000 (25.4)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-2000-595-PK	B-595	Vinyl	Pink	2.000 (50.8)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-500-595-PL	B-595	Vinyl	Purple	0.500 (12.7)	50 (15.2)	1 roll (cont.)	M71-R4400-WT
Fig. 33	M71C-1000-595-PL	B-595	Vinyl	Purple	1.000 (25.4)	50 (15.2)	1 roll (cont.)	M71-R4400-WT
Fig. 33	M71C-2000-595-PL	B-595	Vinyl	Purple	2.000 (50.8)	50 (15.2)	1 roll (cont.)	M71-R4400-WT
Fig. 33	M71C-500-595-RD	B-595	Vinyl	Red	0.500 (12.7)	50 (15.2)	1 roll (cont.)	M71-R4400-WT
Fig. 33	M71C-1000-595-RD	B-595	Vinyl	Red	1.000 (25.4)	50 (15.2)	1 roll (cont.)	M71-R4400-WT
Fig. 33	M71C-2000-595-RD	B-595	Vinyl	Red	2.000 (50.8)	50 (15.2)	1 roll (cont.)	M71-R4400-WT
Fig. 33	M71C-500-595-SB	B-595	Vinyl	Sky Blue	0.500 (12.7)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-1000-595-SB	B-595	Vinyl	Sky Blue	1.000 (25.4)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-2000-595-SB	B-595	Vinyl	Sky Blue	2.000 (50.8)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-500-595-TN	B-595	Vinyl	Tan	0.500 (12.7)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-1000-595-TN	B-595	Vinyl	Tan	1.000 (25.4)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-2000-595-TN	B-595	Vinyl	Tan	2.000 (50.8)	50 (15.2)	1 roll (cont.)	M71-R6000

* Average expected outdoor life of product will depend on user definition of failure, climatic conditions, mounting techniques and material color. The 8 to 10 year outdoor durability applies to the vinyl label stock only; ribbon durability will vary.

ToughWash® Harsh Washdown Labels (B-854 and B-855)

Specially formulated material for the Food and Beverage Processing industry with the ability to withstand washdowns up to 175° F (80° C) and pressure up to 1500 PSI.

- **B-854 ToughWash Metal Detectable Polyester:** Polyester material with aggressive adhesive. Capable of being detected by commercially available metal detectors
- **B-855 ToughWash Polyester:** Polyester material with aggressive acrylic adhesive



Figure 33




Figure 73



Figure	Catalog #	B#	Legend	Label Width A Inch (mm)	Length B Inch (mm)	Labels Per Roll	Rec. Ribbon
B-854 ToughWash® Metal Detectable Material							
Fig. 33	BM71C-1000-854-WT	B-854		1.000 (25.4)	75ft. (22.8 m)	1 roll (cont.)	M71-R6000
Fig. 33	BM71C-2000-854-WT	B-854		2.000 (50.8)	75ft. (22.8 m)	1 roll (cont.)	M71-R6000
Fig. 33	BM71C-1000-854-YL	B-854		1.000 (25.4)	75ft. (22.8 m)	1 roll (cont.)	M71-R6000
Fig. 33	BM71C-2000-854-YL	B-854		2.000 (50.8)	75ft. (22.8 m)	1 roll (cont.)	M71-R6000
Fig. 73	BM71C-2000-854-CAU	B-854		2.000 (50.8)	4.125 (104.8)	225	M71-R6000
Fig. 73	BM71C-2000-854-DAN	B-854		2.000 (50.8)	4.125 (104.8)	225	M71-R6000
Fig. 73	BM71C-2000-854-WAR	B-854		2.000 (50.8)	4.125 (104.8)	225	M71-R6000
B-855 ToughWash® Material							
Fig. 33	BM71C-1000-855-WT	B-855		1.000 (25.4)	75ft. (22.8 m)	1 roll (cont.)	M71-R6000
Fig. 33	BM71C-2000-855-WT	B-855		2.000 (50.8)	75ft. (22.8 m)	1 roll (cont.)	M71-R6000
Fig. 33	BM71C-1000-855-YL	B-855		1.000 (25.4)	75ft. (22.8 m)	1 roll (cont.)	M71-R6000
Fig. 33	BM71C-2000-855-YL	B-855		2.000 (50.8)	75ft. (22.8 m)	1 roll (cont.)	M71-R6000
Fig. 73	BM71C-2000-855-CAU	B-855		2.000 (50.8)	4.125 (104.8)	225	M71-R6000
Fig. 73	BM71C-2000-855-DAN	B-855		2.000 (50.8)	4.125 (104.8)	225	M71-R6000
Fig. 73	BM71C-2000-855-WAR	B-855		2.000 (50.8)	4.125 (104.8)	225	M71-R6000

ToughStripe® Floor Marking Labels (B-483)

Print on demand ToughStripe polyester floor marking material features the same durability and performance as ToughStripe tape with its high-adhesion to flat, non-coated concrete. Includes a roll of B-634 clear overlaminate to protect printing. Temp. range: -40° F to 248° F (-40° C to 120° C).




Figure 33



Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
Fig. 33	M71-1000-483-WT-KT	B-483	Polyester	White	1.0 (25.4)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71-2000-483-WT-KT	B-483	Polyester	White	2.0 (50.8)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71-1000-483-YL-KT	B-483	Polyester	Yellow	1.0 (25.4)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71-2000-483-YL-KT	B-483	Polyester	Yellow	2.0 (50.8)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71-1000-483-BK-KT	B-483	Polyester	Black	1.0 (25.4)	50 (15.2)	1 roll (cont.)	M71-R4400-WT
Fig. 33	M71-2000-483-BK-KT	B-483	Polyester	Black	2.0 (50.8)	50 (15.2)	1 roll (cont.)	M71-R4400-WT
Fig. 33	M71-1000-483-BL-KT	B-483	Polyester	Blue	1.0 (25.4)	50 (15.2)	1 roll (cont.)	M71-R4400-WT
Fig. 33	M71-2000-483-BL-KT	B-483	Polyester	Blue	2.0 (50.8)	50 (15.2)	1 roll (cont.)	M71-R4400-WT
Fig. 33	M71-1000-483-GN-KT	B-483	Polyester	Green	1.0 (25.4)	50 (15.2)	1 roll (cont.)	M71-R4400-WT
Fig. 33	M71-2000-483-GN-KT	B-483	Polyester	Green	2.0 (50.8)	50 (15.2)	1 roll (cont.)	M71-R4400-WT
Fig. 33	M71-1000-483-OR-KT	B-483	Polyester	Orange	1.0 (25.4)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71-2000-483-OR-KT	B-483	Polyester	Orange	2.0 (50.8)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71-1000-483-RD-KT	B-483	Polyester	Red	1.0 (25.4)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71-2000-483-RD-KT	B-483	Polyester	Red	2.0 (50.8)	50 (15.2)	1 roll (cont.)	M71-R6000

General Identification and Rating Plate Labels (B-424, B-430, B-459, B-483, B-486, B-488, B-489 and B-8591)

Choose from several materials with aggressive adhesives for use in commercial and industrial applications.

- **B-424 Paper Material:** White matte paper material
- **B-430 Polyester Material:** Clear glossy polyester
- **B-459 Polyester Material:** White matte polyester
- **B-483 Polyester Material:** White glossy polyester with an aggressive rubber-based adhesive
- **B-486 Polyester Material:** Metallized matte polyester with an aggressive adhesive
- **B-488 Polyester Material:** White matte polyester with an aggressive adhesive
- **B-489 Polyester Material:** White matte polyester with an aggressive adhesive
- **B-8591 Outdoor Polyester Material:** Permanent adhesive, 12-year outdoor durability, resists UV, abrasion and fluids




Figure 2



Figure 3

Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Roll	Rec. Ribbon
B-424 Paper								
Fig. 2	BM71-20-424	B-424	Paper	Matte White	2.000 (50.8)	1.000 (25.4)	1,000	M71-R4300
Fig. 2	M71-20-424	B-424	Paper	Matte White	2.000 (50.8)	1.000 (25.4)	100	M71-R4300
B-430 Clear Glossy Polyester								
Fig. 2	M71-68-430	B-430	Polyester	Glossy Clear	0.240 (6.0)	0.150 (3.8)	750	M71-R6000
Fig. 2	M71-71-430	B-430	Polyester	Glossy Clear	0.350 (8.9)	0.200 (5.1)	750	M71-R6000
Fig. 33	M71C-375-430	B-430	Polyester	Glossy Clear	0.375 (9.5)	50 ft. (15.2 m)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-500-430	B-430	Polyester	Glossy Clear	0.500 (12.7)	50 ft. (15.2 m)	1 roll (cont.)	M71-R6000
Fig. 2	M71-16-430	B-430	Polyester	Glossy Clear	1.000 (25.4)	0.375 (9.5)	500	M71-R6000
Fig. 2	M71-17-430	B-430	Polyester	Glossy Clear	1.000 (25.4)	0.500 (12.7)	500	M71-R6000
Fig. 33	M71C-1000-430	B-430	Polyester	Glossy Clear	1.000 (25.4)	50 ft. (15.2 m)	1 roll (cont.)	M71-R6000
Fig. 2	M71-45-430	B-430	Polyester	Glossy Clear	1.050 (38.1)	0.375 (9.5)	500	M71-R6000
Fig. 33	M71C-1900-430	B-430	Polyester	Glossy Clear	1.900 (48.3)	50 ft. (15.2 m)	1 roll (cont.)	M71-R6000
B-459 Matte Polyester								
Fig. 2	M71-29-459	B-459	Polyester	Matte White	1.500 (38.1)	0.500 (12.7)	500	M71-R6000
Fig. 2	M71-30-459	B-459	Polyester	Matte White	1.500 (38.1)	0.750 (19.1)	250	M71-R6000
Fig. 2	M71-20-459	B-459	Polyester	Matte White	2.000 (50.8)	1.000 (25.4)	100	M71-R6000
B-483 Gloss Polyester								
Fig. 33	M71C-500-483	B-483	Polyester	Glossy Clear	0.500 (12.7)	50 ft. (15.2 m)	1 roll (cont.)	M71-R6000
Fig. 2	M71-16-483	B-483	Polyester	Glossy Clear	1.000 (25.4)	0.375 (9.5)	500	M71-R6000
Fig. 2	M71-17-483	B-483	Polyester	Glossy Clear	1.000 (25.4)	0.500 (12.7)	500	M71-R6000
Fig. 2	M71-19-483	B-483	Polyester	Glossy Clear	1.000 (25.4)	1.000 (25.4)	250	M71-R6000
Fig. 33	M71C-1000-483	B-483	Polyester	Glossy Clear	1.000 (25.4)	50 ft. (15.2 m)	1 roll (cont.)	M71-R6000
Fig. 2	M71-65-483	B-483	Polyester	Glossy Clear	1.375 (34.9)	1.000 (25.4)	250	M71-R6000
Fig. 2	M71-29-483	B-483	Polyester	Glossy Clear	1.500 (38.1)	0.500 (12.7)	500	M71-R6000
Fig. 2	M71-30-483	B-483	Polyester	Glossy Clear	1.500 (38.1)	0.750 (19.1)	250	M71-R6000
Fig. 2	M71-31-483	B-483	Polyester	Glossy Clear	1.500 (38.1)	1.000 (25.4)	250	M71-R6000
Fig. 33	M71C-1900-483	B-483	Polyester	Glossy Clear	1.900 (48.3)	50 ft. (15.2 m)	1 roll (cont.)	M71-R6000
Fig. 2	M71-61-483	B-483	Polyester	Glossy Clear	2.000 (50.8)	0.500 (12.7)	100	M71-R6000
Fig. 2	M71-20-483	B-483	Polyester	Glossy Clear	2.000 (50.8)	1.000 (25.4)	100	M71-R6000
Fig. 2	M71-37-483	B-483	Polyester	Glossy Clear	3.000 (76.2)	1.900 (48.3)	100	M71-R6000
Fig. 2	M71-23-483	B-483	Polyester	Glossy Clear	4.000 (101.6)	1.000 (25.4)	100	M71-R6000
Fig. 2	M71-38-483	B-483	Polyester	Glossy Clear	4.000 (101.6)	1.900 (48.3)	100	M71-R6000
B-486 Metallized Polyester								
Fig. 2	M71-17-486	B-486	Polyester	Silver	1.000 (25.4)	0.500 (12.7)	500	M71-R4300
Fig. 2	M71-29-486	B-486	Polyester	Silver	1.500 (38.1)	0.500 (12.7)	500	M71-R4300
Fig. 2	M71-30-486	B-486	Polyester	Silver	1.500 (38.1)	0.750 (19.1)	250	M71-R4300
Fig. 2	M71-20-486	B-486	Polyester	Silver	2.000 (50.8)	1.000 (25.4)	100	M71-R4300
Fig. 2	M71-37-486	B-486	Polyester	Silver	3.000 (76.2)	1.900 (48.3)	100	M71-R4300
B-488 Matte Polyester								
Fig. 2	M71-80-488	B-488	Polyester	Matte White	0.750 (19.1)	0.900 (22.9)	250	M71-R4300
Fig. 2	M71-97-488	B-488	Polyester	Matte White	0.900 (22.9)	0.900 (22.9)	250	M71-R4300
Fig. 2	M71-81-488	B-488	Polyester	Matte White	1.900 (48.3)	0.250 (6.4)	750	M71-R4300
B-489 Matte Polyester								
Fig. 2	M71-17-489	B-489	Polyester	Matte White	1.000 (25.4)	0.500 (12.7)	500	M71-R4300
Fig. 2	M71-29-489	B-489	Polyester	Matte White	1.500 (38.1)	0.500 (12.7)	500	M71-R4300
Fig. 2	M71-32-489	B-489	Polyester	Matte White	1.500 (38.1)	1.500 (38.1)	250	M71-R4300
Fig. 2	M71-38-489	B-489	Polyester	White	4.000 (101.6)	1.900 (48.3)	100	M71-R4300
B-8591 Outdoor Glossy Polyester								
Fig. 33	M71C-1000-8591	B-8591	Polyester	Glossy White	1.000 (25.4)	50 ft (15.24 m)	1 roll (cont.)	M71-R6600
Fig. 33	M71C-1900-8591	B-8591	Polyester	Glossy White	1.900 (48.3)	50 ft (15.24 m)	1 roll (cont.)	M71-R6600

Repositionable Vinyl Material (B-581)

Indoor / outdoor vinyl is a high-gloss, durable, flexible material designed with special adhesive to easily remove and re-apply.



Figure 33



Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
Fig. 33	M71C-500-581-WT	B-581	Vinyl	White	0.500 (12.7)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-1000-581-WT	B-581	Vinyl	White	1.000 (25.4)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-2000-581-WT	B-581	Vinyl	White	2.000 (50.8)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-500-581-YL	B-581	Vinyl	Yellow	0.500 (12.7)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-1000-581-YL	B-581	Vinyl	Yellow	1.000 (25.4)	50 (15.2)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-2000-581-YL	B-581	Vinyl	Yellow	2.000 (50.8)	50 (15.2)	1 roll (cont.)	M71-R6000

BradyGlo™ Phosphorescent Polyester Material (B-582)

Glow-in-the-dark pressure sensitive polyester is ideal for identification of fire alarms, extinguishers and emergency evacuations routes. Photoluminescent material charges in 5 minutes at 1000 Lux for 10+ hours of glow time. Temp range: -40° F to 176° F (-40° C to 80° C).




Figure 33



Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
Fig. 33	BM71C-1000-582	B-582	Polyester	Phosphorescent	1.000 (25.4)	75 (22.8)	1 roll (cont.)	M71-R6000
Fig. 33	BM71C-2000-582	B-582	Polyester	Phosphorescent	2.000 (50.8)	75 (22.8)	1 roll (cont.)	M71-R6000

Reflective Material (B-584)

Reflective material shines back brightly when struck by light, making it ideal for labeling outdoor utility poles, hard hats, jobsite equipment and roof-top equipment. Meets Federal Spec L-S-300 for reflectivity. Average outdoor durability is 4-6 years. Temp. range: -40° F to 158° F (-40° C to 70° C).




Figure 33



Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
Fig. 33	BM71C-1000-584-YL	B-584	Reflective Tape	Yellow	1.000 (25.4)	75 (22.8)	1 roll (cont.)	M71-R6000
Fig. 33	BM71C-2000-584-YL	B-584	Reflective Tape	Yellow	2.000 (50.8)	75 (22.8)	1 roll (cont.)	M71-R6000
Fig. 33	BM71C-1000-584-OR	B-584	Reflective Tape	Orange	1.000 (25.4)	75 (22.8)	1 roll (cont.)	M71-R6000
Fig. 33	BM71C-2000-584-OR	B-584	Reflective Tape	Orange	2.000 (50.8)	75 (22.8)	1 roll (cont.)	M71-R6000
Fig. 33	BM71C-1000-584-WT	B-584	Reflective Tape	Silver	1.000 (25.4)	75 (22.8)	1 roll (cont.)	M71-R6000
Fig. 33	BM71C-2000-584-WT	B-584	Reflective Tape	Silver	2.000 (50.8)	75 (22.8)	1 roll (cont.)	M71-R6000

Water-Dissolvable Paper Material (B-403)

Completely dissolves in warm water within 30 seconds, leaving no adhesive residue, eliminating labor required for label removal and allows for easy re-identification.



Figure 33




Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Roll Length B Feet (m)	Labels Per Roll	Rec. Ribbon
Fig. 33	M71C-750-403	B-403	Dissolvable Paper	White	0.750 (19.05)	50 (15.2)	1 roll (cont.)	M71-R4300
Fig. 33	M71C-1500-403	B-403	Dissolvable Paper	White	1.500 (38.1)	50 (15.2)	1 roll (cont.)	M71-R4300

Pre-Printed Calibration and Testing Labels (B-423, B-428 and B-483)

- **B-423 Polyester Material:** UL recognized for outdoor use on glass, thermoset polyester plastic and polyvinyl fluoride plastic.
- **B-428 Metallized Polyester Material:** For barcodes, alphanumerics and graphics that require nameplate-like quality
- **B-483 Gloss Polyester Material:** Permanent rubber-based adhesive for powder-coated and textured surfaces




Figure 51




Figure 52




Figure 54



Figure 79

Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Roll	Rec. Ribbon
B-423 Permanent Polyester								
Fig. 52	M71-30-423-TEST	B-423	Polyester	White	1.500 (38.1)	0.750 (19.1)	250	M71-R6000
B-428 Metallized Polyester								
Fig. 51	M71-30-428-CALI	B-428	Polyester	Light Gray	1.500 (38.1)	0.750 (19.1)	250	M71-R4300
Fig. 53	M71-35-428-PROP	B-428	Polyester	Light Gray	1.630 (41.4)	0.750 (19.1)	250	M71-R4300
B-483 Gloss Polyester								
Fig. 79	M71-38-483-CAUT	B-483	Polyester	White	4.000 (101.6)	1.900 (48.7)	100	M71-R6000
Fig. 79	M71-38-483-DANG	B-483	Polyester	White	4.000 (101.6)	1.900 (48.7)	100	M71-R6000
Fig. 79	M71-38-483-NOTI	B-483	Polyester	White	4.000 (101.6)	1.900 (48.7)	100	M71-R6000
Fig. 79	M71-38-483-WARN	B-483	Polyester	White	4.000 (101.6)	1.900 (48.7)	100	M71-R6000

Push-Button Style Raised Panel Labels (B-593)

Glossy, foam-backed polyester with permanent adhesive and solvent resistance makes them a great replacement for engraved tags. Ideal for external push buttons, switches and internal connection points. Total label thickness: 0.0256 in. (0.650 mm). RoHS compliant and UL approved.




Figure 22b




Figure 49



Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Hole Diameter C Inch (mm)	Labels Per Roll	Rec. Ribbon
Fig. 22b	M71EP-180-593	B-593	Polyester	White	1.890 (48.01)	1.300 (33.02)	-	50	M71-R6000
Fig. 22b	M71EP-182-593	B-593	Polyester	White	2.400 (60.96)	1.900 (48.26)	-	50	M71-R6000
Fig. 49	M71EP-167-593	B-593	Polyester	White	1.200 (30.48)	1.500 (38.1)	0.890 (22.5)	100	M71-R6000
Fig. 49	M71EP-168-593	B-593	Polyester	White	1.200 (30.48)	1.900 (48.3)	0.890 (22.5)	100	M71-R6000
Fig. 49	M71EP-169-593	B-593	Polyester	White	1.800 (45.72)	1.800 (45.7)	1.200 (30.5)	100	M71-R6000
Fig. 49	M71EP-189-593	B-593	Polyester	White	1.800 (45.72)	2.400 (60.96)	0.445 (11.3)	50	M71-R6000
Fig. 49	M71EP-167-593-YL	B-593	Polyester	Yellow	1.200 (30.48)	1.500 (38.1)	0.890 (22.5)	100	M71-R6000
Fig. 49	M71EP-168-593-YL	B-593	Polyester	Yellow	1.200 (30.48)	1.900 (48.3)	0.890 (22.5)	100	M71-R6000
Fig. 49	M71EP-169-593-YL	B-593	Polyester	Yellow	1.800 (45.72)	1.800 (45.7)	1.200 (30.5)	100	M71-R6000
Fig. 49	M71EP-189-593-YL	B-593	Polyester	Yellow	1.800 (45.72)	2.400 (60.96)	0.445 (11.3)	50	M71-R6000
Fig. 49	M71EP-167-593-BK	B-593	Polyester	Black	1.200 (30.48)	1.500 (38.1)	0.890 (22.5)	100	M71-R4400-WT
Fig. 49	M71EP-168-593-BK	B-593	Polyester	Black	1.200 (30.48)	1.900 (48.3)	0.890 (22.5)	100	M71-R4400-WT
Fig. 49	M71EP-169-593-BK	B-593	Polyester	Black	1.800 (45.72)	1.800 (45.7)	1.200 (30.5)	100	M71-R4400-WT
Fig. 49	M71EP-189-593-BK	B-593	Polyester	Black	1.800 (45.72)	2.400 (60.96)	0.445 (11.3)	50	M71-R4400-WT
Fig. 49	M71EP-167-593-GN	B-593	Polyester	Green	1.200 (30.48)	1.500 (38.1)	0.890 (22.5)	100	M71-R4400-WT
Fig. 49	M71EP-168-593-GN	B-593	Polyester	Green	1.200 (30.48)	1.900 (48.3)	0.890 (22.5)	100	M71-R4400-WT
Fig. 49	M71EP-169-593-GN	B-593	Polyester	Green	1.800 (45.72)	1.800 (45.7)	1.200 (30.5)	100	M71-R4400-WT
Fig. 49	M71EP-189-593-GN	B-593	Polyester	Green	1.800 (45.72)	2.400 (60.96)	0.445 (11.3)	50	M71-R4400-WT
Fig. 49	M71EP-167-593-RD	B-593	Polyester	Red	1.200 (30.48)	1.500 (38.1)	0.890 (22.5)	100	M71-R4400-WT
Fig. 49	M71EP-168-593-RD	B-593	Polyester	Red	1.200 (30.48)	1.900 (48.3)	0.890 (22.5)	100	M71-R4400-WT
Fig. 49	M71EP-169-593-RD	B-593	Polyester	Red	1.800 (45.72)	1.800 (45.7)	1.200 (30.5)	100	M71-R4400-WT
Fig. 49	M71EP-189-593-RD	B-593	Polyester	Red	1.800 (45.72)	2.400 (60.96)	0.445 (11.3)	50	M71-R4400-WT

Rectangular Raised Panel Labels (B-593)

Glossy, foam-backed polyester with permanent adhesive and solvent resistance makes them a great replacement for engraved tags. Ideal for external push buttons, switches and internal connection points. Total label thickness is 0.0256 in. (0.650 mm). RoHS compliant and UL approved.




Figure 18




Figure 20



Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Roll	Rec. Ribbon
Fig. 18	M71EP-171-593	B-593	Polyester	White	1.060 (26.9)	0.490 (12.5)	200	M71-R6000
Fig. 18	M71EP-172-593	B-593	Polyester	White	1.770 (44.96)	0.590 (14.99)	100	M71-R6000
Fig. 20	M71EP-173-593	B-593	Polyester	White	1.000 (25.4)	2.000 (50.8)	100	M71-R6000
Fig. 20	M71EP-176-593	B-593	Polyester	White	1.000 (25.4)	3.000 (76.2)	50	M71-R6000
Fig. 20	M71EP-190-593	B-593	Polyester	White	1.900 (48.26)	3.000 (76.2)	50	M71-R6000
Fig. 20	M71EP-174-593	B-593	Polyester	White	1.000 (25.4)	4.000 (101.6)	50	M71-R6000
Fig. 20	M71EP-191-593	B-593	Polyester	White	1.900 (48.26)	4.000 (101.6)	25	M71-R6000
Fig. 20	M71EP-186-593	B-593	Polyester	White	1.000 (25.4)	6.000 (152.4)	25	M71-R6000
Fig. 20	M71EP-192-593	B-593	Polyester	White	1.900 (48.26)	6.000 (152.4)	25	M71-R6000
Fig. 18	M71EP-171-593-YL	B-593	Polyester	Yellow	1.060 (26.9)	0.490 (12.5)	200	M71-R6000
Fig. 18	M71EP-172-593-YL	B-593	Polyester	Yellow	1.770 (44.96)	0.590 (14.99)	100	M71-R6000
Fig. 20	M71EP-173-593-YL	B-593	Polyester	Yellow	1.000 (25.4)	2.000 (50.8)	100	M71-R6000
Fig. 20	M71EP-176-593-YL	B-593	Polyester	Yellow	1.000 (25.4)	3.000 (76.2)	50	M71-R6000
Fig. 20	M71EP-190-593-YL	B-593	Polyester	Yellow	1.900 (48.26)	3.000 (76.2)	50	M71-R6000
Fig. 20	M71EP-174-593-YL	B-593	Polyester	Yellow	1.000 (25.4)	4.000 (101.6)	50	M71-R6000
Fig. 20	M71EP-191-593-YL	B-593	Polyester	Yellow	1.900 (48.26)	4.000 (101.6)	25	M71-R6000
Fig. 20	M71EP-186-593-YL	B-593	Polyester	Yellow	1.000 (25.4)	6.000 (152.4)	25	M71-R6000
Fig. 20	M71EP-192-593-YL	B-593	Polyester	Yellow	1.900 (48.26)	6.000 (152.4)	25	M71-R6000
Fig. 18	M71EP-171-593-BK	B-593	Polyester	Black	1.060 (26.9)	0.490 (12.5)	200	M71-R4400-WT
Fig. 18	M71EP-172-593-BK	B-593	Polyester	Black	1.770 (44.96)	0.590 (14.99)	100	M71-R4400-WT
Fig. 20	M71EP-173-593-BK	B-593	Polyester	Black	1.000 (25.4)	2.000 (50.8)	100	M71-R4400-WT
Fig. 20	M71EP-176-593-BK	B-593	Polyester	Black	1.000 (25.4)	3.000 (76.2)	50	M71-R4400-WT
Fig. 20	M71EP-190-593-BK	B-593	Polyester	Black	1.900 (48.26)	3.000 (76.2)	50	M71-R4400-WT
Fig. 20	M71EP-174-593-BK	B-593	Polyester	Black	1.000 (25.4)	4.000 (101.6)	50	M71-R4400-WT
Fig. 20	M71EP-191-593-BK	B-593	Polyester	Black	1.900 (48.26)	4.000 (101.6)	25	M71-R4400-WT
Fig. 20	M71EP-186-593-BK	B-593	Polyester	Black	1.000 (25.4)	6.000 (152.4)	25	M71-R4400-WT
Fig. 20	M71EP-192-593-BK	B-593	Polyester	Black	1.900 (48.26)	6.000 (152.4)	25	M71-R4400-WT
Fig. 18	M71EP-171-593-GN	B-593	Polyester	Green	1.060 (26.9)	0.490 (12.5)	200	M71-R4400-WT
Fig. 18	M71EP-172-593-GN	B-593	Polyester	Green	1.770 (44.96)	0.590 (14.99)	100	M71-R4400-WT
Fig. 20	M71EP-173-593-GN	B-593	Polyester	Green	1.000 (25.4)	2.000 (50.8)	100	M71-R4400-WT
Fig. 20	M71EP-176-593-GN	B-593	Polyester	Green	1.000 (25.4)	3.000 (76.2)	50	M71-R4400-WT
Fig. 20	M71EP-190-593-GN	B-593	Polyester	Green	1.900 (48.26)	3.000 (76.2)	50	M71-R4400-WT
Fig. 20	M71EP-174-593-GN	B-593	Polyester	Green	1.000 (25.4)	4.000 (101.6)	50	M71-R4400-WT
Fig. 20	M71EP-191-593-GN	B-593	Polyester	Green	1.900 (48.26)	4.000 (101.6)	25	M71-R4400-WT
Fig. 20	M71EP-186-593-GN	B-593	Polyester	Green	1.000 (25.4)	6.000 (152.4)	25	M71-R4400-WT
Fig. 20	M71EP-192-593-GN	B-593	Polyester	Green	1.900 (48.26)	6.000 (152.4)	25	M71-R4400-WT
Fig. 18	M71EP-171-593-RD	B-593	Polyester	Red	1.060 (26.9)	0.490 (12.5)	200	M71-R4400-WT
Fig. 18	M71EP-172-593-RD	B-593	Polyester	Red	1.770 (44.96)	0.590 (14.99)	100	M71-R4400-WT
Fig. 20	M71EP-173-593-RD	B-593	Polyester	Red	1.000 (25.4)	2.000 (50.8)	100	M71-R4400-WT
Fig. 20	M71EP-176-593-RD	B-593	Polyester	Red	1.000 (25.4)	3.000 (76.2)	50	M71-R4400-WT
Fig. 20	M71EP-190-593-RD	B-593	Polyester	Red	1.900 (48.26)	3.000 (76.2)	50	M71-R4400-WT
Fig. 20	M71EP-174-593-RD	B-593	Polyester	Red	1.000 (25.4)	4.000 (101.6)	50	M71-R4400-WT
Fig. 20	M71EP-191-593-RD	B-593	Polyester	Red	1.900 (48.26)	4.000 (101.6)	25	M71-R4400-WT
Fig. 20	M71EP-186-593-RD	B-593	Polyester	Red	1.000 (25.4)	6.000 (152.4)	25	M71-R4400-WT
Fig. 20	M71EP-192-593-RD	B-593	Polyester	Red	1.900 (48.26)	6.000 (152.4)	25	M71-R4400-WT
Fig. 18	M71EP-171-593-SL	B-593	Polyester	Silver	1.060 (26.9)	0.490 (12.5)	200	M71-R6000
Fig. 18	M71EP-172-593-SL	B-593	Polyester	Silver	1.770 (44.96)	0.590 (14.99)	100	M71-R6000
Fig. 20	M71EP-173-593-SL	B-593	Polyester	Silver	1.000 (25.4)	2.000 (50.8)	100	M71-R6000
Fig. 20	M71EP-190-593-SL	B-593	Polyester	Silver	1.900 (48.26)	3.000 (76.2)	50	M71-R6000
Fig. 20	M71EP-174-593-SL	B-593	Polyester	Silver	1.000 (25.4)	4.000 (101.6)	50	M71-R6000
Fig. 20	M71EP-191-593-SL	B-593	Polyester	Silver	1.900 (48.26)	4.000 (101.6)	25	M71-R6000
Fig. 20	M71EP-186-593-SL	B-593	Polyester	Silver	1.000 (25.4)	6.000 (152.4)	25	M71-R6000
Fig. 20	M71EP-192-593-SL	B-593	Polyester	Silver	1.900 (48.26)	6.000 (152.4)	25	M71-R6000

Patch Panel Strips (B-412 and B-422)

- **B-412 Non-Adhesive Polypropylene Strips:**
Designed for high legibility and tensile strength
- **B-422 Polyester Material:** Permanent aggressive adhesive, good for powder-coated and textured surfaces. Best on flat surfaces. Temp. range: -40°F to 212°F (-40°C to 100°C). UL recognized.




Figure 2



Figure 33



Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Roll	Rec. Ribbon
B-412 Non-Adhesive Polypropylene Material								
Fig. 33	M71C-230-412	B-412	Polyethylene Non-Adhesive Strip	White	0.230 (5.8)	50 ft. (15.2 m)	1 roll (cont.)	M71-R6200
Fig. 33	M71C-375-412	B-412	Polyethylene Non-Adhesive Strip	White	0.375 (9.5)	50 ft. (15.2 m)	1 roll (cont.)	M71-R6200
Fig. 33	M71C-475-412	B-412	Polyethylene Non-Adhesive Strip	White	0.475 (12.1)	50 ft. (15.2 m)	1 roll (cont.)	M71-R6200
Fig. 33	M71C-500-412	B-412	Polyethylene Non-Adhesive Strip	White	0.500 (12.7)	50 ft. (15.2 m)	1 roll (cont.)	M71-R6200
Fig. 33	M71C-625-412	B-412	Polyethylene Non-Adhesive Strip	White	0.625 (15.9)	50 ft. (15.2 m)	1 roll (cont.)	M71-R6200
Fig. 33	M71C-785-412	B-412	Polyethylene Non-Adhesive Strip	White	0.785 (19.9)	50 ft. (15.2 m)	1 roll (cont.)	M71-R6200
B-422 Permanent Adhesive Polyester Material								
Fig. 33	M71C-375-422	B-422	Polyester Adhesive Strip	White	0.375 (9.5)	50 ft. (15.2 m)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-475-422	B-422	Polyester Adhesive Strip	White	0.475 (12.1)	50 ft. (15.2 m)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-500-422	B-422	Polyester Adhesive Strip	White	0.500 (12.7)	50 ft. (15.2 m)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-625-422	B-422	Polyester Adhesive Strip	White	0.625 (15.9)	50 ft. (15.2 m)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-1000-422	B-422	Polyester Adhesive Strip	White	1.000 (25.4)	50 ft. (15.2 m)	1 roll (cont.)	M71-R6000
Fig. 33	M71C-1900-422	B-422	Polyester Adhesive Strip	White	1.900 (48.3)	50 ft. (15.2 m)	1 roll (cont.)	M71-R6000
Fig. 2	M71-45-422	B-422	Polyester Individual Labels	White	1.500 (38.1)	0.375 (9.5)	500	M71-R6000
Fig. 2	M71-30-422	B-422	Polyester Individual Labels	White	1.500 (38.1)	0.750 (19.1)	250	M71-R6000
Fig. 2	BM71-20-422	B-422	Polyester Individual Labels	White	2.000 (50.8)	1.000 (25.4)	1,000	M71-R6000
Fig. 2	M71-37-422	B-422	Polyester Individual Labels	White	3.000 (76.2)	1.900 (48.3)	100	M71-R6000

Faceplate, Outlet and Port Labels (B-412, B-423 and B-595)

- **B-412 Non-Adhesive Polypropylene Tag Material:**
Designed for high legibility and tensile strength.
- **B-423 Polyester Material:** White glossy polyester with aggressive adhesive
- **B-595 Indoor / Outdoor Vinyl Material:**
Aggressive permanent adhesive, very pliable, conforms to rough surfaces, excellent resistance to oils, detergents, dirt and many solvents




Figure 2




Figure 33




Figure 55



Figure	Catalog #	B#	Material	Color	Label Width A Inch (mm)	Label Height B Inch (mm)	Labels Per Roll	Rec. Ribbon
B-412 Non-Adhesive Polypropylene								
Fig. 55	BM71-40-412	B-412	Non-adhesive Strip	White	1.938 (49.2)	0.375 (9.5)	5,000	M71-R6200
Fig. 55	M71-40-412	B-412	Non-adhesive Strip	White	1.938 (49.2)	0.375 (9.5)	750	M71-R6200
B-423 Permanent Polyester								
Fig. 2	M71-7-423	B-423	Polyester	White	0.500 (12.700)	0.500 (12.700)	500	M71-R6000
Fig. 33	M71C-500-423	B-423	Polyester Strip	White	0.500 (12.700)	50 ft. (15.24 m)	1 roll (cont.)	M71-R6000
Fig. 2	M71-16-423	B-423	Polyester Individual Labels	White	1.000 (25.400)	0.375 (9.530)	500	M71-R6000
Fig. 2	M71-17-423	B-423	Polyester Individual Labels	White	1.000 (25.400)	0.500 (12.700)	500	M71-R6000
Fig. 2	M71-29-423	B-423	Polyester Individual Labels	White	1.500 (38.100)	0.500 (12.700)	500	M71-R6000
B-595 Indoor / Outdoor Vinyl								
Fig. 33	M71C-500-595-WT	B-595	Vinyl Strip	White	0.500 (12.7)	50 ft. (15.2 m)	1 roll (cont.)	M71-R6000