



BRINGING THE BEST OF THE WORLD TO YOU®

114 HARD HATS

124 BUMP CAPS

126 SPECIALTY HELMETS

HEAD PROTECTION

HARD HATS

MK8 EVOLUTION®



MK8 EVOLUTION®
TYPE II HARD HAT OFFERING 20 TIMES
THE COVERAGE AREA OF A TYPE I



JSP® HAS EVOLVED HEAD PROTECTION...

The MK8 Evolution® meets the ANSI Z89.1 standard for Type II impact protection. However, it is also the only industrial safety helmet in the world at this time meeting and exceeding the new, tougher European standard EN14052, the biggest advance in industrial head protection in over 45 years.

HIGH IMPACT... SIDE IMPACT... PRICELESS PROTECTION.

The high-density EPS liner and ultra-comfortable harness ensure maximum protection in the highest-risk environments without compromising comfort. Ideal for:

- Construction
- Mining/Tunneling
- Demolition
- Oil & Gas Refinery
- Energy Firms
- Offshore Marine
- Certain Emergency Services (e.g. FEMA & USAR)

But, most important, MK8 Evolution® provides protection from SIDE IMPACTS and SIDE PENETRATION to the same level as ANSI Z89.1 Type I testing, with almost 20 times the coverage area.

THE TOUGHEST INDUSTRIAL SAFETY HARD HAT IN THE WORLD

EN14052 TESTING

Requires each helmet to be hit twice. ANSI Type II testing only requires the test sample to pass one hit.

1A PENETRATION TEST - CROWN

Helmet is hit twice, once in the crown area with a 2.2 lb. chisel-shaped striker from 8 feet.

1B PENETRATION TEST - SIDE


The same weight is dropped from 6.5 feet onto the shell at any angle between 15° and 60° for side penetration performance.

2A IMPACT TEST - CROWN

Helmet is hit twice, once in an area within a 1.375" radius of the crown with an 11 lb. weight from just over 6.5 feet.

2B IMPACT TEST - SIDE

The same weight is dropped from just over 3.25 feet onto the shell at any angle between 15° and 60° for side impact performance.



MK8 EVOLUTION® FEATURES & BENEFITS




IMPACT PROTECTION

Side, front and rear impact protection from the shock absorbing EPS liner. Vented liner to increase comfort while maintaining high protection factor. Liner optimizes low angle side impact performance.



COMFORT

Extremely comfortable polyester fabric webbing molds to the individual wearer's head. Lightweight EPS liner reduces weight while still offering maximum protection.



OUTER SHELL

Ultra-high-strength outer shell. Ribbed upper section dissipates impact energy. All-round protection down to 60° from vertical. Large imprint area on front and sides for logos.



ADJUSTMENT

Intuitive thumb and forefinger press points for easy adjustment of the wheel ratchet. Offers diverse size ranges for true "one size fits all".



**TYPE II
WEIGHS ONLY 19 OZ.**



ALL THE FEATURES OF THE
MK8 EVOLUTION® PLUS A

4-POINT CHIN STRAP

MK8 Evolution®

- Meets ANSI/ISEA Z89.1-2014, Type II, Class E requirements
- Offers side (Lateral) impact protection, which reduces the force of impact resulting from a blow that may be received off-center as well as to the top of the head
- Also offers side penetration protection in addition to crown penetration
- Expanded polystyrene (EPS) impact liner helps absorb the forces of impact
- High-density polyethylene (HDPE) shell
- Deluxe polyester textile strap suspension with microfiber crown pad webbing
- Wheel ratchet adjustment allows user to easily adjust fit while wearing
- Universal accessory slots
- Vented version is available to increase air circulation, keeping the head cool and comfortable

ITEM NUMBER	COLOR	SHELL
280-AHS150-10	☐ White	Non-Vented
280-AHS150-20	☐ Yellow	Non-Vented
280-AHS150-50	■ Blue	Non-Vented
280-AHS150V-10	☐ White	Vented (Class C)



THE MK8 EVOLUTION® CAN BE
CUSTOM IMPRINTED WITH YOUR LOGO
AND/OR PERSONALIZED MESSAGE.

The three-rib design is a registered trademark of E.D. Bullard Company and used under license

MK8 Evolution® for Linesman Hard Hat

- Mounted 4-point chin strap harness
- Chin strap ANSI approved for retention on Type II helmet
- Provides a secure fit in the most extreme conditions
- Vented version is available to increase air circulation, keeping the head cool and comfortable


ITEM NUMBER	COLOR	SHELL
280-AHS240-10	☐ White	Non-Vented
280-AHS240-20	☐ Yellow	Non-Vented
280-AHS240-50	■ Blue	Non-Vented
280-AHS240V-10	☐ White	Vented (Class C)

ALL HARD HATS ARE PRE-ASSEMBLED FOR



HEAD PROTECTION

EVOLUTION®



THE PERFECT BLEND OF COMFORT & STRENGTH

PACKED READY TO WEAR WITH NO ASSEMBLY REQUIRED

The Evolution® 6100 hard hats are the latest addition to the head-protection line from JSP®. Using advanced technology from the MK8 Evolution®, the shell of the Evolution® 6100 owes its strength to its good looks. Traditional styling has been enhanced with five raised channels running across the top of the helmet, which not only modernize the aesthetic look but also strengthen the helmet.

FIRMEST FIT AVAILABLE FOR AN INDUSTRIAL SAFETY HARD HAT

The deep nape strap enables the firmest retention of any hard hat, keeping it firmly rooted on the head even when fully inverted.



REVOLUTION™ WHEEL RATCHET

New, easy-to-use wheel ratchet adjustment system creates a firm, comfortable fit with added security. Closed ratchet design won't snag hair.

EVOLUTION® 6100 FEATURES & BENEFITS



SUPREME COMFORT

A 6-point polyester textile harness on Evolution® Deluxe offers unrivaled comfort without compromising performance. Chamlon sweatband for maximum sweat absorption.



TOUGH HDPE SHELL

In tests, the Evolution® 6100 proved to be far tougher than the ANSI Z89.1 standard required as well as the competition.



3D PRECISION FITTING

Never before has such a precise fit been attainable on an industrial safety helmet, using the unique 3-position harness depth setting.



VENTILATION OPTION

Allows air movement inside the shell, keeping it the same as the outside ambient temperature. This actually reduces the inside helmet temperature by an average of 4-6°F.



EASYJUST™ FITTING ADJUSTMENT

The EasyJust™ fitting adjustment is so simple to use that it can be changed with just one hand.



Evolution® 6100 Cap Style Series

- High-density polyethylene (HDPE) shell designed with five raised channels running across the top for strength, and an extended back area for extra protection
- 6-point suspension system offers unrivaled comfort without compromising performance
- Choice of harnesses—economical polyethylene or wide polyester textile straps
- Unique “3D adjustment” provides a precise fit using harness depth settings—unlike any other hard hat on the US market today
- EasyJust™ slip ratchet is simple to adjust and an improved alternative to the traditional pin-lock system
- Revolution™ wheel ratchet is easy to use and creates a firm comfortable fit
- Vented versions are available to increase air circulation, keeping the head cool and comfortable
- Short brim versions are also available for greater visibility, especially when looking up or in confined spaces
- Brushed nylon backed foam (Evolution®) or Chamlon™ (Evolution® Deluxe) sweatband
- Universal accessory slots accept virtually any competitors’ accessories
- EvoSpec™ safety eyewear compatible... retracts into helmet shell on Evolution® Deluxe styles
- Packed ready-to-wear with no installation of the suspension required
- Meets ANSI/ISEA Z89.1-2014, Type I, Class E requirements
- Also meets ANSI requirements for reverse donning and lower temperature (Evolution® Deluxe)

**VENTED OR
NON-VENTED
STYLES AVAILABLE**



Evolution® 6121 Hard Hat

ITEM NUMBER	COLOR	SUSPENSION	ADJUSTMENT	BRIM	SHELL
280-EV6121-10	White	6-Point Polyethylene	Slip Ratchet	Standard	Non-Vented
280-EV6121-20	Yellow	6-Point Polyethylene	Slip Ratchet	Standard	Non-Vented
280-EV6121-30	Green	6-Point Polyethylene	Slip Ratchet	Standard	Non-Vented
280-EV6121-39	Pink	6-Point Polyethylene	Slip Ratchet	Standard	Non-Vented
280-EV6121-40	Gray	6-Point Polyethylene	Slip Ratchet	Standard	Non-Vented
280-EV6121-50	Blue	6-Point Polyethylene	Slip Ratchet	Standard	Non-Vented
280-EV6121-60	Red	6-Point Polyethylene	Slip Ratchet	Standard	Non-Vented
280-EV6121-80	Orange	6-Point Polyethylene	Slip Ratchet	Standard	Non-Vented
280-EV6121-LY	Bright Lime Yellow	6-Point Polyethylene	Slip Ratchet	Standard	Non-Vented
280-EV6121-OR	Bright Orange	6-Point Polyethylene	Slip Ratchet	Standard	Non-Vented
280-EV6121S-10	White	6-Point Polyethylene	Slip Ratchet	Short	Non-Vented
280-EV6121S-20	Yellow	6-Point Polyethylene	Slip Ratchet	Short	Non-Vented

Evolution® Deluxe 6131 Hard Hat

ITEM NUMBER	COLOR	SUSPENSION	ADJUSTMENT	BRIM	SHELL
280-EV6131-10	White	6-Point Polyester Textile	Slip Ratchet	Standard	Non-Vented
280-EV6131-20	Yellow	6-Point Polyester Textile	Slip Ratchet	Standard	Non-Vented
280-EV6131-30	Green	6-Point Polyester Textile	Slip Ratchet	Standard	Non-Vented
280-EV6131-50	Blue	6-Point Polyester Textile	Slip Ratchet	Standard	Non-Vented
280-EV6131-60	Red	6-Point Polyester Textile	Slip Ratchet	Standard	Non-Vented
280-EV6131-80	Orange	6-Point Polyester Textile	Slip Ratchet	Standard	Non-Vented
280-EV6131-LY	Bright Lime Yellow	6-Point Polyester Textile	Slip Ratchet	Standard	Non-Vented
280-EV6131-OR	Bright Orange	6-Point Polyester Textile	Slip Ratchet	Standard	Non-Vented
280-EV6131V-10	White	6-Point Polyester Textile	Slip Ratchet	Standard	Vented (Class C)
280-EV6131V-20	Yellow	6-Point Polyester Textile	Slip Ratchet	Standard	Vented (Class C)

Evolution® Deluxe 6151 Hard Hat

ITEM NUMBER	COLOR	SUSPENSION	ADJUSTMENT	BRIM	SHELL
280-EV6151-10	White	6-Point Polyester Textile	Wheel Ratchet	Standard	Non-Vented
280-EV6151-11	Black	6-Point Polyester Textile	Wheel Ratchet	Standard	Non-Vented
280-EV6151-20	Yellow	6-Point Polyester Textile	Wheel Ratchet	Standard	Non-Vented
280-EV6151-30	Green	6-Point Polyester Textile	Wheel Ratchet	Standard	Non-Vented
280-EV6151-39	Pink	6-Point Polyester Textile	Wheel Ratchet	Standard	Non-Vented
280-EV6151-40	Gray	6-Point Polyester Textile	Wheel Ratchet	Standard	Non-Vented
280-EV6151-50	Blue	6-Point Polyester Textile	Wheel Ratchet	Standard	Non-Vented
280-EV6151-60	Red	6-Point Polyester Textile	Wheel Ratchet	Standard	Non-Vented
280-EV6151-80	Orange	6-Point Polyester Textile	Wheel Ratchet	Standard	Non-Vented
280-EV6151-LY	Bright Lime Yellow	6-Point Polyester Textile	Wheel Ratchet	Standard	Non-Vented
280-EV6151-OR	Bright Orange	6-Point Polyester Textile	Wheel Ratchet	Standard	Non-Vented
280-EV6151V-10	White	6-Point Polyester Textile	Wheel Ratchet	Standard	Vented (Class C)
280-EV6151V-20	Yellow	6-Point Polyester Textile	Wheel Ratchet	Standard	Vented (Class C)
280-EV6151V-OR	Bright Orange	6-Point Polyester Textile	Wheel Ratchet	Standard	Vented (Class C)
280-EV6151S-10	White	6-Point Polyester Textile	Wheel Ratchet	Short	Non-Vented
280-EV6151S-20	Yellow	6-Point Polyester Textile	Wheel Ratchet	Short	Non-Vented
280-EV6151SV-10	White	6-Point Polyester Textile	Wheel Ratchet	Short	Vented (Class C)
280-EV6151SV-20	Yellow	6-Point Polyester Textile	Wheel Ratchet	Short	Vented (Class C)
280-EV6151SV-50	Blue	6-Point Polyester Textile	Wheel Ratchet	Short	Vented (Class C)
280-EV6151SV-60	Red	6-Point Polyester Textile	Wheel Ratchet	Short	Vented (Class C)
280-EV6151SV-80	Orange	6-Point Polyester Textile	Wheel Ratchet	Short	Vented (Class C)

THE EVOLUTION® SERIES CAN BE IMPRINTED WITH YOUR LOGO AND/OR PERSONALIZED MESSAGE.

HARD HATS

EVOLUTION®

ADDITIONAL PROTECTION

AGAINST SUN, GLARE, RAIN & FALLING DEBRIS



Evolution® 6100 Full Brim Series

- High-density polyethylene (HDPE) shell with a full brim providing additional protection against sun, glare, rain and falling debris
- Extended back brim helps protect neck and ears from the sun's UV rays, acts as a run-off for rain and snow; short front brim shades the face while allowing excellent visibility
- Brim includes finger grips on front and rear as well as a textured underside to reduce reflection/glare
- 6-point suspension system with polyester textile straps offers unrivalled comfort without compromising performance
- Unique "3D adjustment" provides a precise fit using harness depth settings; unlike any other hard hat on the US market today
- EasyJust™ slip ratchet is simple to adjust and an improved alternative to the traditional pin-lock system
- Evolution wheel ratchet is easy to use and creates a firm comfortable fit
- Vented versions are available to increase air circulation, keeping the head cool and comfortable
- Chamlon™ sweatband for maximum sweat absorption
- Universal slots to fit various accessories
- EvoSpec™ safety eyewear compatible... retracts into helmet shell
- Packed ready-to-wear with no installation of the suspension required
- Meets ANSI/ISEA Z89.1-2014, Type I, Class E requirements
- Also meets ANSI requirements for reverse donning and lower temperature



THE EVOLUTION® SERIES CAN BE CUSTOM IMPRINTED WITH YOUR LOGO AND/OR PERSONALIZED MESSAGE.

Evolution® Deluxe 6141 Full Brim

ITEM NUMBER	COLOR	SUSPENSION	ADJUSTMENT	SHELL
280-EV6141-10	□ White	6-Point Polyester Textile	Slip Ratchet	Non-Vented
280-EV6141-20	■ Yellow	6-Point Polyester Textile	Slip Ratchet	Non-Vented
280-EV6141-30	■ Green	6-Point Polyester Textile	Slip Ratchet	Non-Vented
280-EV6141-50	■ Blue	6-Point Polyester Textile	Slip Ratchet	Non-Vented
280-EV6141-60	■ Red	6-Point Polyester Textile	Slip Ratchet	Non-Vented
280-EV6141-LY	■ Bright Lime Yellow	6-Point Polyester Textile	Slip Ratchet	Non-Vented
280-EV6141-OR	■ Bright Orange	6-Point Polyester Textile	Slip Ratchet	Non-Vented
280-EV6141V-10	□ White	6-Point Polyester Textile	Slip Ratchet	Vented (Class C)
280-EV6141V-20	■ Yellow	6-Point Polyester Textile	Slip Ratchet	Vented (Class C)

Evolution® Deluxe 6161 Full Brim

ITEM NUMBER	COLOR	SUSPENSION	ADJUSTMENT	SHELL
280-EV6161-10	□ White	6-Point Polyester Textile	Wheel Ratchet	Non-Vented
280-EV6161-20	■ Yellow	6-Point Polyester Textile	Wheel Ratchet	Non-Vented
280-EV6161-30	■ Green	6-Point Polyester Textile	Wheel Ratchet	Non-Vented
280-EV6161-40	■ Gray	6-Point Polyester Textile	Wheel Ratchet	Non-Vented
280-EV6161-50	■ Blue	6-Point Polyester Textile	Wheel Ratchet	Non-Vented
280-EV6161-60	■ Red	6-Point Polyester Textile	Wheel Ratchet	Non-Vented
280-EV6161-LY	■ Bright Lime Yellow	6-Point Polyester Textile	Wheel Ratchet	Non-Vented
280-EV6161-OR	■ Bright Orange	6-Point Polyester Textile	Wheel Ratchet	Non-Vented
280-EV6161V-10	□ White	6-Point Polyester Textile	Wheel Ratchet	Vented (Class C)
280-EV6161V-20	■ Yellow	6-Point Polyester Textile	Wheel Ratchet	Vented (Class C)
280-EV6161V-30	■ Green	6-Point Polyester Textile	Wheel Ratchet	Vented (Class C)
280-EV6161V-40	■ Gray	6-Point Polyester Textile	Wheel Ratchet	Vented (Class C)
280-EV6161V-50	■ Blue	6-Point Polyester Textile	Wheel Ratchet	Vented (Class C)
280-EV6161V-60	■ Red	6-Point Polyester Textile	Wheel Ratchet	Vented (Class C)
280-EV6161V-OR	■ Bright Orange	6-Point Polyester Textile	Wheel Ratchet	Vented (Class C)

Evolution® Deluxe 6151 Mining Hard Hat

ITEM NUMBER	COLOR	SUSPENSION	ADJUSTMENT	SHELL
280-EV6151M-10	□ White	6-Point Polyester Textile	Wheel Ratchet	Non-Vented
280-EV6151M-20	■ Yellow	6-Point Polyester Textile	Wheel Ratchet	Non-Vented
280-EV6151M-30	■ Green	6-Point Polyester Textile	Wheel Ratchet	Non-Vented
280-EV6151M-50	■ Blue	6-Point Polyester Textile	Wheel Ratchet	Non-Vented
280-EV6151M-60	■ Red	6-Point Polyester Textile	Wheel Ratchet	Non-Vented
280-EV6151M-LY	■ Bright Lime Yellow	6-Point Polyester Textile	Wheel Ratchet	Non-Vented
280-EV6151M-OR	■ Bright Orange	6-Point Polyester Textile	Wheel Ratchet	Non-Vented

Evolution® Deluxe 6151 Mining Hard Hat with CR2 Kit Installed

ITEM NUMBER	COLOR	SUSPENSION	ADJUSTMENT	SHELL
280-EV6151MCR2-10	□ White	6-Point Polyester Textile	Wheel Ratchet	Non-Vented
280-EV6151MCR2-20	■ Yellow	6-Point Polyester Textile	Wheel Ratchet	Non-Vented
280-EV6151MCR2-30	■ Green	6-Point Polyester Textile	Wheel Ratchet	Non-Vented
280-EV6151MCR2-50	■ Blue	6-Point Polyester Textile	Wheel Ratchet	Non-Vented
280-EV6151MCR2-60	■ Red	6-Point Polyester Textile	Wheel Ratchet	Non-Vented
280-EV6151MCR2-LY	■ Bright Lime Yellow	6-Point Polyester Textile	Wheel Ratchet	Non-Vented
280-EV6151MCR2-OR	■ Bright Orange	6-Point Polyester Textile	Wheel Ratchet	Non-Vented

Evolution® Deluxe 6161 Full-Brim Mining Hard Hat

ITEM NUMBER	COLOR	SUSPENSION	ADJUSTMENT	SHELL
280-EV6161M-10	□ White	6-Point Polyester Textile	Wheel Ratchet	Non-Vented
280-EV6161M-20	■ Yellow	6-Point Polyester Textile	Wheel Ratchet	Non-Vented
280-EV6161M-30	■ Green	6-Point Polyester Textile	Wheel Ratchet	Non-Vented
280-EV6161M-50	■ Blue	6-Point Polyester Textile	Wheel Ratchet	Non-Vented
280-EV6161M-60	■ Red	6-Point Polyester Textile	Wheel Ratchet	Non-Vented
280-EV6161M-LY	■ Bright Lime Yellow	6-Point Polyester Textile	Wheel Ratchet	Non-Vented
280-EV6161M-OR	■ Bright Orange	6-Point Polyester Textile	Wheel Ratchet	Non-Vented

Evolution® Deluxe 6161 Full-Brim Mining Hard Hat with CR2 Kit Installed

ITEM NUMBER	COLOR	SUSPENSION	ADJUSTMENT	SHELL
280-EV6161MCR2-10	□ White	6-Point Polyester Textile	Wheel Ratchet	Non-Vented
280-EV6161MCR2-20	■ Yellow	6-Point Polyester Textile	Wheel Ratchet	Non-Vented
280-EV6161MCR2-30	■ Green	6-Point Polyester Textile	Wheel Ratchet	Non-Vented
280-EV6161MCR2-50	■ Blue	6-Point Polyester Textile	Wheel Ratchet	Non-Vented
280-EV6161MCR2-60	■ Red	6-Point Polyester Textile	Wheel Ratchet	Non-Vented
280-EV6161MCR2-LY	■ Bright Lime Yellow	6-Point Polyester Textile	Wheel Ratchet	Non-Vented
280-EV6161MCR2-OR	■ Bright Orange	6-Point Polyester Textile	Wheel Ratchet	Non-Vented

**COMPATIBLE WITH 99%
OF THE WORLD'S MINING LAMPS**



Evolution® 6100 Mining Hard Hat

- Based on our popular Evolution 6100 series hard hats, the perfect blend of comfort and strength
- Mining lamp bracket is made from non-corrosive steel
- This unique bracket will accept 99% of the world's mining lamps
- Cable loop included on back keeps cable in place
- Available in cap style and full brim hard hats
- Optional CR2 reflective decals can be applied offering 360° coverage
- 6-point suspension features unique "3D adjustment" of the harness depth setting
- Packed ready-to-wear with no assembly required
- Meets ANSI/ISEA Z89.1-2014, Type I, Class C requirements, as well as Mine Safety and Health Administration (MSHA) requirements



HARD HATS

COMFORT PLUS™



PACKED READY-TO-WEAR THE ECONOMICAL CHOICE

Comfort Plus™ 5151

- High-density polyethylene (HDPE) shell dissipates impact energy
- Shock-absorbing 6-point suspension with adjustable 1" wide polyester textile straps
- Pivoting wheel ratchet adjustment easily fits over the nape of the neck for a secure fit
- Brushed nylon-backed foam sweatband
- Universal slots to accept various accessories
- Meets ANSI/ISEA Z89.1-2014, Type I, Class G requirements


ITEM NUMBER	COLOR
280-ML5151-10	White
280-ML5151-20	Yellow
280-ML5151-30	Green
280-ML5151-39	Pink
280-ML5151-50	Blue
280-ML5151-60	Red
280-ML5151-80	Orange



Comfort Plus™ 5131

- High-density polyethylene (HDPE) shell dissipates impact energy
- Shock-absorbing 6-point suspension with adjustable 1" wide polyester textile straps
- Squeeze-lock adjustment slides easily for a firm fit
- Brushed nylon-backed foam sweatband
- Universal slots to accept various accessories
- Meets ANSI/ISEA Z89.1-2014, Type I, Class G requirements

ITEM NUMBER	COLOR
280-EL5131-10	White
280-EL5131-20	Yellow
280-EL5131-30	Green
280-EL5131-50	Blue
280-EL5131-60	Red
280-EL5131-80	Orange



THE COMFORT PLUS™ CAN BE CUSTOM
IMPRINTED WITH YOUR LOGO AND/OR
PERSONALIZED MESSAGE.



ALL HARD HATS ARE PRE-ASSEMBLED FOR

**RETAIL
READY**



▼ EvoSpec™ Safety Eyewear for Evolution® Deluxe Hard Hats

- Easy assembly into any Evolution® Deluxe 6100 hard hat
- Retracts into helmet shell when not in use
- Anti-scratch/anti-fog lens coating
- Meets ANSI Z87.1- 2010 requirements

ITEM NUMBER	TEMPLES	LENS
250-EVS-0000	■ Black	□ Clear
250-EVS-0001	■ Black	■ Gray



HARD HATS

ACCESSORIES



DAY & NIGHT PROTECTION

▼ CR2 Reflective Decal Kits for JSP Evolution® Hard Hats

Easy for user to apply; sold in packs of 10 applications

- Class R2 reflective material offers significantly more brightness than standard reflective material
- High-intensity prismatic pattern features enhanced brightness day or night, and better visibility in all weather conditions
- Offers full 360° reflective coverage, plus strips on top
- Basic reflective silver is available in a cap-style and full-brim configuration
- Additional reflective colors are offered only in the full-brim version, since this decal arrangement works equally well on cap-style JSP® hard hats
- Decal colors could be used to indicate function, while stocking only a basic white hard hat
- Ideal for hazardous environments where workers must be seen: construction, mining, highway, civil engineering or offshore

Sold in packs of 10 applications

ITEM NUMBER	FITS	COLOR
281-CR2-10	Cap Style JSP Hard Hats	■ Silver
281-CR2FB-10	Full Brim or Cap Style JSP Hard Hats	■ Silver
281-CR2FB-10-BL	Full Brim or Cap Style JSP Hard Hats	■ Blue
281-CR2FB-10-OR	Full Brim or Cap Style JSP Hard Hats	■ Orange
281-CR2FB-10-RE	Full Brim or Cap Style JSP Hard Hats	■ Red
281-CR2FB-10-GR	Full Brim or Cap Style JSP Hard Hats	■ Green
281-CR2FB-10-YE	Full Brim or Cap Style JSP Hard Hats	■ Yellow



281-CR2-10



281-CR2FB-10

HARD HATS


ACCESSORIES



281-SSE-CAP



281-CS-4PT



▼ Surefit™ Hard Hat Adapter

Allows the attachment of a safety visor.

- Clips into the universal accessory slots of the hard hat
- Curved plastic channel fits over both standard and short brims
- Pivoting blades allow the visor to be lifted up when not in use
- Will fit the JSP® Surefit™ safety visors below
- Can also be used in conjunction with JSP® cap mounted ear muffs
- Meets ANSI Z87+ requirements when worn with safety glasses or goggles

Hard Hat Adapter

ITEM NUMBER	COLOR
251-01-6225	■ Black

Safety Visors

ITEM NUMBER	MATERIAL
251-01-6201	<input type="checkbox"/> Clear Polycarbonate
251-01-6211	<input type="checkbox"/> Clear Acetate

▼ Sun Shield Extensions

Hard hat extension to block the sun's rays.

- Available in two versions to fit cap-style or full-brim hard hats
- 40 mil dark green and 30 mil white back
- Forms oval that simply slips over hard hat crown

ITEM NUMBER	FITS
281-SSE-CAP	Cap-Style Hard Hats
281-SSE-FB	Full-Brim Hard Hats

▼ Optional Chin Straps

- Standard 2-point elastic chin strap fits any JSP® hard hat
- Deluxe 2-point chin strap with chin cup fits Evolution® 6100 series hard hats
- Black 4-point chin strap fits all Evolution® 6100 series hard hats, cap style or full brim

ITEM NUMBER	STRAP
281-CS-2PT	2-Point Standard
281-CSD-2PT	2-Point Deluxe
281-CS-4PT	4-Point Strap for Evolution™ 6100



281-CS-2PT



281-CSD-2PT

▼ Replacement Sweatbands

- Brushed nylon-backed foam or Chamlon™
- For use with JSP® hard hats

ITEM NUMBER	MATERIAL
281-SB-NBF	Brushed Nylon/Foam
281-SB-CHN	Chamlon™



HARD HATS

ACCESSORIES

Lamp / Goggle Clip Set

- Clips allow the attachment of a headlamp or goggles to an Evolution 6100 hard hat
- Each set contains 2 side clips and 2 rear clips
- The 2 rear clips are needed for attaching goggles to a helmet; all 4 clips are needed for attaching a headlamp to a helmet

ITEM NUMBER	SIDE CLIPS	REAR CLIPS
281-CL-SET	2	2



**NRR
20 dB**

262-AEK010HV



**NRR
24 dB**

262-AEK020HV



**NRR
21 dB**

262-AEK030-50

CAP MOUNTED EAR MUFF

JSP® Cap Mounted Ear Muffs

Fits most cap style hard hats on the market with universal slots.

- Twin-point-mounted ear cups for even pressure distribution
- Wearer can tilt and adjust cup for optimum comfort and fit
- Spring-loaded arms allow the cups to fold up and away when not in use
- Choose from general purpose (20dB) or extreme (24dB) based on application
- Offered in hi-vis orange for extra visibility
- Economy Surefit™ Contour™ version comes in blue with single-point cups that pivot and slide
- All JSP® ear muffs allow the addition of a safety visor when used in conjunction with JSP® Surefit™ hard hat adapter

ITEM NUMBER	STYLE	NRR	COLOR
262-AEK010HV	InterGPV	20 dB	Hi-Vis Orange
262-AEK020HV	InterEXV	24 dB	Hi-Vis Orange
262-AEJ030-50	Surefit™ Contour™	21 dB	Blue



LAMP & GOGGLE CLIPS



HEADLAMPS REQUIRE
2 Side Clips | 2 Rear Clips



GOGGLES REQUIRE
2 Rear Clips



BUMP CAPS

BOURTON™ / TOP CAP™



IDEAL FOR:
FOOD PROCESSING
& LANDSCAPING

▼ Bourton™ Plastic-Shell Bump Caps

Designed as a safeguard for accidental bumping or scraping of the head.

- High-density polyethylene (HDPE) shell—easy to clean
- 4-point suspension is adjustable
- Choice of harnesses: economical polyethylene or polyester textile straps
- Squeeze-lock adjustment that slides easily for a firm fit

121 Bump Cap

ITEM NUMBER	COLOR	SUSPENSION	ADJUSTMENT
282-PBC121-10	□ White	4-Point Polyethylene	Squeeze-Lock
282-PBC121-20	■ Yellow	4-Point Polyethylene	Squeeze-Lock
282-PBC121-30	■ Green	4-Point Polyethylene	Squeeze-Lock
282-PBC121-50	■ Blue	4-Point Polyethylene	Squeeze-Lock
282-PBC121-60	■ Red	4-Point Polyethylene	Squeeze-Lock

131 Bump Cap

ITEM NUMBER	COLOR	SUSPENSION	ADJUSTMENT
282-PBC131-10	□ White	4-Point Polyester Textile	Squeeze-Lock
282-PBC131-20	■ Yellow	4-Point Polyester Textile	Squeeze-Lock
282-PBC131-30	■ Green	4-Point Polyester Textile	Squeeze-Lock
282-PBC131-50	■ Blue	4-Point Polyester Textile	Squeeze-Lock
282-PBC131-60	■ Red	4-Point Polyester Textile	Squeeze-Lock



▼ Top Cap™ Bump Cap

Bump caps are designed as a safeguard against accidental bumping or scraping of the head.

- Inner high-density polyethylene (HDPE) liner with foam cushioning
- Fabric cap has six ventilation holes to help keep the head cool
- Adjustable back, so one size fits all
- High-profile baseball or truckers cap-style

ITEM NUMBER	COLOR
282-ABG100-11	■ Black
282-ABG100-21	■ Navy
282-ABG100-50	■ Blue

▼ Clip-On LED Cap Light

- High light output coupled with compact sizing
- Securely clips onto brim of HardCap A1+
- Contains 5 high-power white LEDs
- Weather-proof; batteries included
- Lightweight—weighs only an ounce
- LEDs are unbreakable and will last 100,000+ hours
- 4 power settings: 1x LED, 3x LED, 5x LED or flash/hazard



ITEM NUMBER	COLOR
281-CAP-LED	■ Black

AVOID BUMPS & SCRAPES

Getting workers to wear head protection can be tough, especially in areas where hard hats are not required. It's estimated that a third of all impact injuries to the head are suffered by workers who bumped into stationary objects while not wearing any head protection. The sporty baseball cap style of the HardCap A1+™ is sure to increase wearer acceptability and reduce injuries.



BUMP CAPS

HARDCAP A1+™



STANDARD



SHORT



MICRO

HardCap A1+™ Bump Cap

Designed as a safeguard against accidental bumping or scraping of the head. Ideal in areas where hard hats are not required.

- Inner high-density polyethylene (HDPE) liner with foam cushioning offers all-round protection
- Size adjustment with elastic strap and clamp action buckle ensures a secure fit that stays on your head
- Holes in the liner match up with mesh panels in the cap to provide added ventilation for coolness and comfort
- The protective liner is removable, so the outer cap with plastic brim is fully washable
- Terrycloth sweatband adds comfort and absorption for the wearer
- Available in standard 2.75", short 2" or micro 1" brim



Standard 2.75" Brim

ITEM NUMBER	COLOR	BRIM
282-ABR170-62	Gray/Red	Standard
282-ABR170-21	Navy/Navy	Standard
282-ABR170-18	Black/Hi-Vis Orange	Standard
282-ABR170-11	Black/Black	Standard
282-ABR170-52	Navy/Yellow	Standard
282-ABR170-12	Black/Gray	Standard
282-ABR170-OR	Hi-Vis Orange	Standard
282-ABR170-LY	Hi-Vis Lime Yellow	Standard

Short 2" Brim

ITEM NUMBER	COLOR	BRIM
282-ABS150-11	Black/Black	Short
282-ABS150-12	Black/Gray	Short
282-ABS150-21	Navy/Navy	Short
282-ABS150-52	Navy/Yellow	Short

Micro 1" Brim

ITEM NUMBER	COLOR	BRIM
282-ABM130-11	Black/Black	Micro
282-ABM130-21	Navy/Navy	Micro



THE HARDCAP A1+™ BUMP CAP CAN BE EMBROIDERED WITH YOUR LOGO AND/OR PERSONALIZED MESSAGE.

HARDCAP A1+™ FEATURES & BENEFITS



LOW-PROFILE DESIGN
Ultra-sleek design means the HardCap A1+™ is almost indistinguishable from a low-profile baseball cap.




ALL ROUND PROTECTION
The protective HDPE liner is removable, so the outer cap with plastic brim is fully washable.



UNIQUE SIZE ADJUSTER
Unique size adjuster slides on an elastic strip to give a quick, secure fit. Angled downward to fit under nape of neck.



SWEATBAND
Terrycloth sweatband adds comfort and absorption for the wearer.



REFLECTIVE PIPING
Reflective piping adds extra visibility and therefore safety in all working environments.



VENTILATION
Holes in the liner match up with mesh panels on the cap to provide added ventilation for coolness and comfort.

SPECIALTY HELMETS

RESCUE & CLIMBING



854-6020



812-6041



280-AJS260-10



854-6023

854-6021

854-6022



812-6043

812-6040

812-6042

▀ R5 Rescue/Industrial Helmet

- Dupont Kevlar composite resin shell for superior strength and durability—up to 20% lighter than competitive fiberglass versions
- 6-point polyester suspension system offers a firm, comfortable fit
- Wheel ratchet headband with easy-to-use adjustment dial
- Merino leather sweatband padding for fit and comfort, can also be removed for cleaning
- 3-point polyester chin strap with quick-release buckle keeps the helmet secure
- Includes ESS goggle mounts and scalloped-sided shell to accommodate ear muffs
- Also available with light holder built-in to helmet shell; contact PIP sales for details
- Packed ready-to-wear with no assembly required
- Meets ANSI/ISEA Z89.1-2014 Type I, Class C standards

ITEM NUMBER	COLOR	SUSPENSION	ADJUSTMENT	BRIM	SHELL
854-6023	□ White	6-Point Polyester	Wheel Ratchet	Standard	Non-Vented
854-6020	■ Red	6-Point Polyester	Wheel Ratchet	Standard	Non-Vented
854-6021	■ Yellow	6-Point Polyester	Wheel Ratchet	Standard	Non-Vented
854-6022	■ Blue	6-Point Polyester	Wheel Ratchet	Standard	Non-Vented

▀ WR5 Multi-Purpose Rescue/Industrial Helmet

- Dupont Kevlar composite resin shell for superior strength and durability—up to 20% lighter than competitive fiberglass versions
- No brim for greater visibility, especially when looking up or in confined spaces
- Vented shell includes nine vent holes to reduce inside helmet temperature
- 6-point polyester suspension system offers a firm, comfortable fit
- Wheel ratchet headband with easy-to-use adjustment dial
- Merino leather sweatband padding for fit and comfort, can also be easily cleaned
- 3-point polyester chin strap with quick-release buckle keeps the helmet secure
- Packed ready-to-wear with no assembly required
- Meets ANSI/ISEA Z89.1-2014, Type I, Class C standards

ITEM NUMBER	COLOR	SUSPENSION	ADJUSTMENT	BRIM	SHELL
812-6043	□ White	6-Point Polyester	Wheel Ratchet	None	Vented
812-6040	■ Red	6-Point Polyester	Wheel Ratchet	None	Vented
812-6041	■ Yellow	6-Point Polyester	Wheel Ratchet	None	Vented
812-6042	■ Blue	6-Point Polyester	Wheel Ratchet	None	Vented

▀ EVOLite® Skyworker™ Helmet

Designed with a shell structure and suspension system that makes it ideal for industrial, mountaineering & rescue

- Strong ABS plastic shell is lightweight and comfortable and protective
- Expanded Polystyrene (EPS) Impact Liner helps absorb the forces of front, side or rear impacts
- 6-Point suspension system with polyester textile straps offers unrivaled comfort
- Revolution Wheel Ratchet is easy to use and has a deep nape strap which enables a firm helmet fit
- Unique "3D Adjustment" provides a precise fit using harness depth settings
- Side and rear ventilation increases air circulation, keeping the head cool and comfortable
- Includes a 4-point cross-over chin strap with quick release buckle... adjustable for a safe & secure fit
- Chamlon™ sweatband with porous PU coating for maximum sweat absorption
- Short brim for greater visibility when looking up or in confined spaces
- Meets ANSI/ISEA Z89.1-2014, Type I, Class C requirements as well as EN 12492 Mountaineering standard

ITEM NUMBER	COLOR	SUSPENSION	ADJUSTMENT	SHELL
280-AJS260-10	□ White	6-Point Polyester Textile	Wheel Ratchet	Vented ABS