

Product Family Nitriguard Plus™ - LA172G

Unsupported nitrile, chemical resistant gloves. Nitrile formulation contains no latex proteins which could cause allergic reactions. Nitrile offers superior resistance to cuts, snags, abrasions and punctures. Nitrile will not swell, sag or weaken from fat absorption. Complies with USDA and FDA regulations, 21 CFR, for use in food processing



Overview

Key Features

Unsupported nitrile, chemical resistant gloves. Nitrile formulation contains no latex proteins which could cause allergic reactions. Nitrile offers superior resistance to cuts, snags, abrasions and punctures. Nitrile will not swell, sag or weaken from fat absorption. Complies with USDA and FDA regulations, 21 CFR, for use in food processing

Recommended Industries/Use

- - mical Food Services
- Manufacturing

Hazards

Regulations

- ANSI/ISEA 105 ASTM D3389-05 Abrasion Test
- ANSI/ISEA 105 ASTM F1790-97 Cut Test
- EN374 Permiation and breakthrough time
- EN388 Mechanical risks from abrasion, cut, tear and puncture
- EN420 General Requirements This standard defines the general requirements for protective gloves in terms of construction, fitness of purpose and safety.
- OSHA Standard -29 CFR 1915.157 The employer shall ensure that each affected employee uses appropriate hand
 protection and other protective clothing where there is exposure to hazards such as skin absorption of harmful
 substances, severe cuts or lacerations, severe abrasions, punctures, chemical burns, thermal burns, harmful
 temperature extremes, and sharp objects.

Warranty Information

LIMITED WARRANTY. Except for any warranty for a particular product or part specifically stated in our product literature, we warrant all goods sold under this agreement against defects in materials and workmanship for one year from shipment. In the event of such defects, we will, at our sole option and as your exclusive remedy, repair or replace the defective product without charge, or refund the price you have paid. In order for this warranty to be effective, you must notify us within 15 days of discovery of the defect, you must return the defective product to us within the warranty period, properly packaged and with insurance and transportation costs prepaid. We will reship the product to you at our expense in the United States. Products will conform to Honeywell published specifications if properly used and maintained and will be free from defects in materials and/or workmanship. no changes to Honeywell published specifications will be valid without Honeywell written consent. This warranty does not cover defects which we determine are because of accident, alteration, modification, negligence, misuse, abuse failure to perform adequate maintenance, or normal wear and tear.

Specifications

Ambidextrous or Hand Specific

· Hand specific

Coating

NA

Coating Color

NA

Coating Pattern

NA

Construction

• Multi-Dip

Cuff

Straight

Gauge / mil

• 17 mil

Glove Type

Chemical resistant

Length

• 13 inch

Liner

None

Material

Nitrile

Material Color

Green

Overedge

NA

Supported or Unsupported

Unsupported

Surface Finish

Sandpatch

Literature & Documents

2769_pdf

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Gloves/19327356309 /1033.aspx

EC DECLARATION OF CONFORMITY The company: North Safety Products Europe by P.O. Box 5016 4338 RA, Middelburg The Netherlands Declares that the safety product described below: NitriGuard Plus Article numbers:LA102G, LA132G, LA142G, LA172G 4001 JKL are in conformity with the provisions of the Council Directive 89/686/EC a

2770_pdf

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Gloves/19327356310 /1033.aspx

Product Data Sheet Nitri-Guard Plus Description: Unsupported Nitril Chemical resistant gloves with increased comfort due to a soft flock lining. Designed for handling inorganic acids and alkalis, oil, grease and other substances. Ideal for use e.g. in the chemical industry, painting, agriculture, printing and other app

Additional Information

Nitriguard Plus™ - LA172G

Complies with USDA and FDA regulations, 21 CFR, for use in food processing

Technical Support

 $\label{thm:condition} \begin{tabular}{ll} Technical Support is available Monday through Friday, 8:00 AM to 7:00 PM EST. 1.800.873.5242 \\ hsptechsupport@honeywell.com \end{tabular}$

© Honeywell International Inc.