

FUNDAMENTALS OF ARM PROTECTION

WHEN WEARING CUT RESISTANT GLOVES, ALSO CONSIDER ARM PROTECTION TO EXTEND YOUR SAFETY COVERAGE AND PROTECT AGAINST OTHER POTENTIAL INJURIES. WHETHER YOU HANDLE LARGE AND/OR SHARP OBJECTS, ARE EXPOSED TO SPARKS, OR JUST NEED TO HAVE YOUR FOREARMS COVERED, PROTECTIVE SLEEVES CAN PROVIDE VARIOUS SOLUTIONS TO MEET YOUR SAFETY NEEDS.

APPLICATIONS

The most common application need for arm protection is **cut resistance**. In addition to **cut protection**, you can also achieve options that provide:

- **Maximum comfort**
- **Heat protection**
- **Food handling Capabilities**
- **Arc-rated protection**

Several customizable options are also available to help maximize protection by ensuring the sleeve stays in place as consistently as possible.

- Options such as **thumb holes** or **thumb slots** can help hold the sleeve up to the heel of your hand.
- Options can also help hold the sleeve up on your arm, such as **elastic bands** or **hook and loop closures**.

PRODUCTION

PIP manufactures sleeves in our facilities in Bluffton, IN and Chaska, MN, and we take pride in providing what we consider to be the most comprehensive offering of arm protection. And, because we manufacture these great products domestically, we have the ability to **custom make sleeves** for your particular application. See Page 146 for more details.

132 SMART-FIT™ TECHNOLOGY SLEEVES

134 FORM-FIT SEAMLESS KNIT SLEEVES

141 DUO-PRO™

142 LOOSE FITTING SLEEVES

144 SPECIALTY APPLICATIONS SLEEVES

146 CUSTOM SLEEVES

ARM PROTECTION

SMART FIT™ TECHNOLOGY SLEEVES

ONE-SIZE-FITS-ALL COMFORT



SMART-FIT™ ONE-SIZE-FITS-ALL

QUICK TUG
ADJUSTING KNIT



2X1
SMART FIT™



STRETCH



PLUSH TOP

2x1 KNIT SMART FIT™ SLEEVE

A one size fits all technology. Smart Fit™ technology provides workers of all arm sizes to wear the same size sleeve and enjoy comfortable, form-fitting all-day protection.

STRETCH TO FIT ANY SIZE

Whether large or small, Smart Fit™ is designed to cover and protect the most commonly exposed areas of a worker's arm. Worn on a bare arm, or over layers, a single sleeve is right for most jobs.

PLUSH TOP OPTION

Only Smart Fit™ sleeves are available with a plush top cuff option that comfortably and securely fits without the need to fasten or adjust.



SMART FIT™ TECHNOLOGY SLEEVES

ONE-SIZE-FITS-ALL COMFORT



ANSI
A4

KUT GARD® SMART FIT™
TECHNOLOGY
10-21KVACPMBK18-ET



ANSI
A4

KUT GARD® SMART FIT™
TECHNOLOGY
15-21KVBK18TH



ANSI
A4

KUT GARD® SMART FIT™
TECHNOLOGY
15-21KVBK18



ANSI
A3

KUT GARD® SMART FIT™
TECHNOLOGY
10-21HACPNY18-ET



ANSI
A3

KUT GARD® SMART FIT™
TECHNOLOGY
20-21DACP18-ET



ANSI
A2

KUT GARD® SMART FIT™
TECHNOLOGY
15-21PRIBPS18-ET

ACP™ WITH ARAMID ENGINEERED YARNS
CUT AND HEAT RESISTANT

ACP™ WITH HPPE ENGINEERED YARNS
CUT & COOLER COMFORT

PRITEX™ YARNS WITH ANTIMICROBIAL
LIGHT ABRASION RISK -
COOLER COMFORT SLEEVE

KUT GARD® SMART FIT™ TECHNOLOGY

STYLE NUMBER	ASTM	MATERIAL	CONSTRUCTION	PLY	TOP CUFF	BOTTOM CUFF	COLOR	STANDARD LENGTH
10-21KVACPMBK18-ET	A4	ACP™ / Kevlar® Blend	Smart Fit™ Seamless Knit	1	Serged	Thumb Elastic	■ Yellow / Black	18"
15-21KVBK18TH	A4	ACP™ / Kevlar® / Pritex™ Blend	Smart Fit™ Seamless Knit	1	Serged	Thumb Hole	■ Yellow / Black	18"
15-21KVBK18	A4	ACP™ / Kevlar® / Pritex™ Blend	Smart Fit™ Seamless Knit	1	Serged	Straight	■ Yellow / Black	18"
10-21HACPNY18-ET	A3	ACP™ / Kevlar® Blend	Smart Fit™ Seamless Knit	1	Serged	Thumb Elastic	■ Neon Yellow	18"
10-21KVACPM18-ET	A5	ACP™ / Kevlar® Blend	Smart Fit™ Seamless Knit	1	Serged	Thumb Elastic	■ Yellow / Black	18"
10-21KVHACP18TH	A3	ACP™ / Kevlar® Blend	Smart Fit™ Seamless Knit	1	Serged	Thumb Hole	■ Yellow	18"
10-21ACPCB18TH	A3	ACP™ / Kevlar® with Cotton	Smart Fit™ Seamless Knit	1	Serged	Thumb Hole	■ Green	18"
20-21DACP18-ET	A3	ACP™ / Dyneema® Blend	Smart Fit™ Seamless Knit	1	Serged	Thumb Elastic	■ Gray	18"
15-21PRIBPS18-ET	A2	Pritex™	Smart Fit™ Seamless Knit	1	Serged	Thumb Elastic	□ Black	18"
15-21PRIWPS18-ET	A2	Pritex™	Smart Fit™ Seamless Knit	1	Serged	Thumb Elastic	■ White	18"

Replace standard 18" length with any custom length from 10" - 24"

FORM-FIT SEAMLESS KNIT SLEEVES

SECURE CLOSE-TO-SKIN COMFORT



CUT RESISTANT
HEAT & SPARK PROPERTIES


10-KA24SCTOT

- Excellent cut protection
- Light heat protection
- 2-ply for additional wear protection

APPLICATIONS: *Sheet Metal and Stamping, Glass Handling, Assembly, Plastic Molding, Automotive*



2X THE CUT PROTECTION

ACP™ Technology offers an increase in overall performance and value, compared to traditional Para-Aramid products. ACP™ provides excellent abrasion and cut resistance for lower cost per use. ACP™ Technology sleeves are 100% silicone free.

KUT GARD® ACP™ TECHNOLOGY & DUPONT™ KEVLAR®

STYLE NUMBER	ASTM	MATERIAL	CONSTRUCTION	PLY	COLOR	STANDARD LENGTH
10-KA18	A5	ACP™ / Kevlar® Blend	Seamless Knit	2	■ Green	18"
10-KA18CL	A5	ACP™ / Kevlar® Blend	Seamless Knit, with Cotton Liner	2	■ Green	18"
10-KA18KL	A5	ACP™ / Kevlar® Blend	Seamless Knit, with DuPont™ Kevlar® Liner	2	■ Green	18"
10-KA24SCTOT	A4	ACP™ / Kevlar® Blend	Seamless Knit	2	■ Green	24"
10-KANY18	A5	ACP™ / Kevlar® Blend	Seamless Knit	2	■ Neon Yellow	18"
10-KANY18CL	A5	ACP™ / Kevlar® Blend	Seamless Knit, with Cotton Liner	2	■ Neon Yellow	18"
10-KANY18KL	A5	ACP™ / Kevlar® Blend	Seamless Knit, with DuPont™ Kevlar® Liner	2	■ Neon Yellow	18"
10-KANO18	A5	ACP™ / Kevlar® Blend	Seamless Knit	2	■ Neon Orange	18"
10-KANO18CL	A5	ACP™ / Kevlar® Blend	Seamless Knit, with Cotton Liner	2	■ Neon Orange	18"
10-KANO18KL	A5	ACP™ / Kevlar® Blend	Seamless Knit, with DuPont™ Kevlar® Liner	2	■ Neon Orange	18"
10-KANP18	A5	ACP™ / Kevlar® Blend	Seamless Knit	2	■ Neon Pink	18"
10-KANP18CL	A5	ACP™ / Kevlar® Blend	Seamless Knit, with Cotton Liner	2	■ Neon Pink	18"
10-KANP18KL	A5	ACP™ / Kevlar® Blend	Seamless Knit, with DuPont™ Kevlar® Liner	2	■ Neon Pink	18"
10-KA18S	A3	ACP™ / Kevlar® Blend	Seamless Knit	1	■ Green	18"
10-KANY18S	A3	ACP™ / Kevlar® Blend	Seamless Knit	1	■ Neon Yellow	18"
10-KANO18S	A3	ACP™ / Kevlar® Blend	Seamless Knit	1	■ Neon Orange	18"
10-KANP18S	A3	ACP™ / Kevlar® Blend	Seamless Knit	1	■ Neon Pink	18"

Replace standard 18" length with any custom length from 10" - 24"

FORM-FIT SEAMLESS KNIT SLEEVES

SECURE CLOSE-TO-SKIN COMFORT



CUT & HEAT RESISTANCE
FOR MAXIMUM PROTECTION

DuPont®
Kevlar®

FORM-FIT SEAMLESS KNIT SLEEVES

SECURE CLOSE-TO-SKIN COMFORT



KUT GARD® MADE WITH KEVLAR® 10-KS18

- High cut protection
- Light heat protection
- 2-ply for additional wear protection

APPLICATIONS: Glass Operations, Metal Stamping, Sheet Metal, Automotive, Construction



KUT GARD® MADE WITH KEVLAR® 10-BKDS18

- High cut protection
- Light heat protection
- Dark color hides dirt
- 2-ply for additional wear protection

APPLICATIONS: Glass Operations, Metal Stamping, Sheet Metal, Automotive, Construction



Dare Bigger™



KUT GARD® MADE WITH KEVLAR®

STYLE NUMBER	ASTM	MATERIAL	CONSTRUCTION	PLY	COLOR	STANDARD LENGTH
10-KS18	A3	DuPont™ Kevlar®	Seamless Knit	2	■ Yellow	18"
10-KS18CL	A3	DuPont™ Kevlar®	Seamless Knit, 1-Ply Cotton Liner	2	■ Yellow	18"
10-BKDS18	A3	DuPont™ Kevlar®	Seamless Knit	2	□ Black	18"
10-KS18S	A2	DuPont™ Kevlar®	Seamless Knit	1	■ Yellow	18"
10-BKS18	A2	DuPont™ Kevlar®	Seamless Knit	1	□ Black	18"

Replace standard 18" length with any custom length from 10" - 24"

TRUSTED & PROVEN MAXIMUM CUT RESISTANCE

Sleeves with DuPont™ Kevlar® provide excellent cut protection and protection from light heat for the wrists and arms. Available in single-ply or double-ply for added protection. Cotton inner ply styles offers added comfort. MTO options available for all sleeves in any length.

FORM-FIT SEAMLESS KNIT SLEEVES


SECURE CLOSE-TO-SKIN COMFORT



UNPARALLELED
COMFORT & COOLNESS
MAXIMUM CUT RESISTANCE

FORM-FIT SEAMLESS KNIT SLEEVES

SECURE CLOSE-TO-SKIN COMFORT



ANSI
A6

KUT GARD® WITH DYNEEMA® 20-DA4210

- Excellent cut resistance to protect against minor cuts and scrapes
- Exceptional comfort and fit

APPLICATIONS: *Automotive, Plastic Molding, Glass Handing and Metal Stamping*



ANSI
A4

KUT GARD® WITH DYNEEMA® 20-DAPB22TOV

- Excellent cut resistance to protect against minor cuts and scrapes
- Exceptional comfort and fit
- Thumb hole for additional protection all the way to the knuckle, without sacrificing dexterity

APPLICATIONS: *Automotive, Plastic Molding, Glass Handing and Metal Stamping*



ANSI
A4

KUT GARD® WITH DYNEEMA® 20-DA18

- Excellent cut resistance
- Excellent abrasion protection
- 2-ply for additional wear protection
- Breathable
- Made from component materials that comply with federal regulations for food contact 21CFR 170-199

APPLICATIONS: *Electronics Manufacturing, Glass Cutting, Paper Processing, Food Processing*



ANSI
A2

KUT GARD® WITH DYNEEMA® 20-D18

- Good cut protection
- High abrasion protection
- Elastic top provides a snug fit to prevent debris from entering the sleeve
- Made from component materials that comply with federal regulations for food contact 21CFR 170-199

APPLICATIONS: *Electronics Manufacturing, Glass Cutting, Paper Processing, Food Processing*

Sleeves made with Dyneema® Technology offer unparalleled comfort and coolness, while providing cut and abrasion resistance.



KUT GARD® WITH DYNEEMA®

STYLE NUMBER	ASTM	MATERIAL	CONSTRUCTION	PLY	COLOR	STANDARD LENGTH
20-DA4210	A6	ACP™ / Dyneema® Blend	Seamless Knit	1	■ Gray	21"
20-DAPB22TOV	A4	ACP™ / Dyneema® Blend	Seamless Knit	1	■ Gray	22"
20-DA18	A4	ACP™ / Dyneema® Blend	Seamless Knit	2	■ Gray	18"
20-DA18CL	A4	ACP™ / Dyneema® Blend	Seamless Knit, 1-Ply Cotton Liner	2	■ Gray	18"
20-DA18S	A3	ACP™ / Dyneema® Blend	Seamless Knit	1	■ Gray	18"
20-D18	A2	Dyneema® Diamond	Seamless Knit	1	■ White	18"
20-TG18	A2	Spun Dyneema®	Seamless Knit	2	■ Gray	18"
20-SD18	A2	Spun Dyneema®	Seamless Knit	1	■ White	18"
20-TG18S	A2	Spun Dyneema®	Seamless Knit	1	■ Gray	18"

Replace standard 18" length with any custom length from 10" - 24"

FORM-FIT SEAMLESS KNIT SLEEVES

SECURE CLOSE-TO-SKIN COMFORT

LIGHT ABRASION COMFORT SLEEVE



Pritex™ is proprietary textured filament polyester, plus Antimicrobial fiber that provides exceptional comfort, will not cause skin irritation, and offers excellent abrasion protection and ANSI Cut Level 2 cut resistance.

KUT GARD® PRITEX™

STYLE NUMBER	ASTM	MATERIAL	CONSTRUCTION	PLY	COLOR	WIDTH	STANDARD LENGTH
15-21PRI18KVBL*	A4	Pritex™ / Kevlar® Blend	2x1 Knit	1	Yellow / Black	---	18"
15-21PRI18BL	A2	Pritex™	2x1 Knit	1	Black	---	18"
15-21PRI18WL	A2	Pritex™	2x1 Knit	1	White	---	18"
15-218BKL	A2	Pritex™	Textured Filament Polyester	1	Black	6.5"	18"
15-218BKS	A2	Pritex™	Textured Filament Polyester	1	Black	5"	18"
15-218WL	A2	Pritex™	Textured Filament Polyester	1	White	6.5"	18"
15-218WS	A2	Pritex™	Textured Filament Polyester	1	White	5"	18"
15-218NYL	A2	Pritex™	Textured Filament Polyester	1	Neon Yellow	6.5"	18"
15-218NYS	A2	Pritex™	Textured Filament Polyester	1	Neon Yellow	5"	18"
15-218NOL	A2	Pritex™	Textured Filament Polyester	1	Neon Orange	6.5"	18"
15-218NOS	A2	Pritex™	Textured Filament Polyester	1	Neon Orange	5"	18"
15-218NPL	A2	Pritex™	Textured Filament Polyester	1	Neon Pink	6.5"	18"
15-218NPS	A2	Pritex™	Textured Filament Polyester	1	Neon Pink	5"	18"
COTTON SLEEVES							
31-C-18	---	Cotton	Seamless Knit, Unsewn Ends	1	White	---	18"
31-CS18	---	Cotton	Seamless Knit, Overstitched at Both Ends	1	White	---	18"
31-CDS18	---	Cotton	Seamless Knit	2	White	---	18"

* Does not comply with federal regulations for food contact

Replace standard 18" length with any custom length from 10" - 24"



ANSI
A4



KUT GARD® PRITEX™ 15-21PRI18KVBL

- Excellent abrasion and fatigue resistance
- Silicone and latex free
- Manufactured with proprietary ACP™ Technology, featuring DuPont™ Kevlar® and fully encapsulated glass plus polyester
- Exceptional comfort and fit, will fit comfortably over clothing or directly on the arm

APPLICATIONS: Sheet Metal Fabrication, Painting, Canning, Recycling, Assembly, Plastic Molding

ANSI
A2



KUT GARD® PRITEX™ 15-218BKL

- Special blend of textured filament polyester plus Antimicrobial provides exceptional comfort and will not cause skin irritation
- Excellent abrasion and fatigue resistance
- 100% silicone and latex free
- Superior washability—can be washed repeatedly in chlorine bleach and caustic detergents
- Features a patented NSF/ANSI Standard 51 Conformant Antimicrobial that is FDA/EPA approved for food contact

APPLICATIONS: Sheet Metal Fabrication, Painting, Canning, Recycling, Assembly, Plastic Molding

DUO-PRO™

HI-VIS T-SHIRT WITH SEWN-IN INTEGRATED PROTECTIVE SLEEVES

ANSI 107 HI-VIS
SHORT SLEEVE
T-SHIRT

PRITEX™
2x1 KNIT
PROTECTIVE
SLEEVE

APPLICATIONS
CONSTRUCTION
MUNICIPALITIES
SHIPYARDS
RECYCLING
HVAC



DUO-PRO™

HI-VIS T-SHIRT WITH INTEGRATED PROTECTIVE SLEEVES

SHORT SLEEVE T-SHIRT			2x1 KNIT PROTECTIVE SLEEVE		
STYLE NUMBER	ANSI 107	COLOR	SIZE	ANSI 105	LENGTH
313-CNTSELY-*PRI18W	Type R Class 2	Hi-Vis Lime Yellow	S - 5X	A2	18"

Put the desired size of the shirt in place of the asterisk () in the part number

Patent pending design

Integrated protective sleeves
help protect against cuts,
scrapes, and abrasions

Eliminates the need for a
vest and keeps sleeves in
place for maximum arm
protection coverage

LOOSE FITTING SLEEVES

COOLER FOR LONG WEAR APPLICATIONS



ANSI
A6

KUT GARD®
MADE WITH KEVLAR®
10-KVS18YBH

- Optimal cut resistance and comfort
- Kevlar® engineered yarns maximize durability and abrasion resistance
- Protection in light heat applications

APPLICATIONS: Glass Operations, Metal Stamping, Automotive, Appliance and Machinery Manufacturing



PAIR WITH

ANSI
A7
EN
5
NITRILE FOAM
COATING

G-TEK® KEV™
09-K1600

- Superior cut resistance
- Good grip on dry, wet or oily surfaces
- Protection in light heat applications

APPLICATIONS: Glass Cutting, Metal Handling, Fastening, Construction



PAIR WITH

ANSI
A6

KUT GARD®
MADE WITH KEVLAR®
10-KVS18RD

- Red color for easy compliance detection on job site
- Kevlar® engineered yarns maximize durability and abrasion resistance
- Protection in light heat applications

APPLICATIONS: Glass Operations, Metal Stamping, Automotive, Appliance and Machinery Manufacturing



ANSI
A4
EN
5
NITRILE FOAM
COATING

G-TEK® KEV™
09-K1640

- Red liner for easy compliance detection on job site
- Good grip on dry, wet or oily surfaces
- Protection in light heat applications

APPLICATIONS: Glass Cutting, Metal Handling, Small Sharp Objects, Fastening



CUT & HEAT PROTECTION WITH MATCHING GLOVES

LOOSE FITTING SLEEVES

COOLER FOR LONG WEAR APPLICATIONS



ANSI
A6

**KUT GARD®
MADE WITH KEVLAR®
10-KVS18DGH**

- High cut protection and comfort
- Kevlar® engineered yarns maximize durability and abrasion resistance
- Protection in light heat applications

APPLICATIONS: Glass Operations, Metal Stamping, Automotive, Appliance and Machinery Manufacturing

ANSI
A4

**G-TEK® KEV™
09-K1630**

- Excellent durability and abrasion resistance
- Good grip on dry, wet or oily surfaces
- Protection in light heat applications

APPLICATIONS: Metal Handling, Fastening, Construction, General Maintenance

EN
5
NITRILE FOAM
COATING

ANSI
A2

**KUT GARD®
MADE WITH KEVLAR®
10-4IK157**

- Good cut protection
- Light heat protection
- Elastic top provides a snug fit to prevent debris from entering the sleeve
- Thumb hole for additional protection all the way to the knuckle, without sacrificing dexterity

APPLICATIONS: Metal Stamping, Sheet Metal, Automotive, Construction

ANSI
A1

**KUT GARD®
MADE WITH KEVLAR®
10-K4722**

- Cut protection
- Light heat protection
- Elastic top provides a snug fit to prevent debris from entering the sleeve
- Thumb hole for additional protection all the way to the knuckle, without sacrificing dexterity

APPLICATIONS: Metal Stamping, Sheet Metal, Automotive, Construction



Kevlar.

DARE BIGGER™

Sleeves with DuPont™ Kevlar® provide excellent cut protection and protection from light heat for the wrists and arms. Available in single-ply or double-ply for added protection. Cotton inner ply styles offers added comfort. MTO options available for all sleeves in any length.



KUT GARD® MADE WITH KEVLAR®

STYLE NUMBER	ASTM	MATERIAL	CONSTRUCTION	PLY	BOTTOM CUFF	TOP CUFF	COLOR	STANDARD LENGTH
10-KVS18RD	A6	DuPont™ Kevlar®	Blousy	1	Elastic	Elastic	■ Red	12" & 18"
10-KVS18DGH	A6	DuPont™ Kevlar®	Blousy	1	Elastic	Elastic	■ Dark Gray	12" & 18"
10-KVS18YBH	A6	DuPont™ Kevlar®	Blousy	1	Elastic	Elastic	■ Yellow / Black	12" & 18"
10-KSB18	A3	DuPont™ Kevlar®	Blousy	1	Elastic	Elastic	■ Yellow	18"
10-K4826	A2	DuPont™ Kevlar®	Blousy Interlock	1	Knit Wrist with Thumb Hole	Blue / Gold Elastic	■ Yellow	26"
10-4IK157	A2	DuPont™ Kevlar®	Blousy Interlock	1	Knit Wrist with Thumb Hole	Blue / Gold Elastic	■ Yellow	22"
10-K4726	A1	DuPont™ Kevlar®	Blousy Interlock	1	Knit Wrist with Thumb Hole	Blue / Gold Elastic	■ Yellow	26"
10-K4722	A1	DuPont™ Kevlar®	Blousy Interlock	1	Knit Wrist with Thumb Hole	Blue / Gold Elastic	■ Yellow	22"

Replace standard 18" length with any custom length from 10" - 24"

SPECIALTY APPLICATIONS SLEEVES

KUT GARD®



DUCK & DENIM

DUCK & DENIM LIGHT ABRASION RISK

STYLE NUMBER	ASTM	MATERIAL	CONSTRUCTION	PLY	COLOR	STANDARD LENGTH
31-48182	---	Duck	Elastic Overstitched at Both Ends	1	■ White	18"
23-44182	---	Denim	Elastic Overstitched at Both Ends	1	■ Blue	18"

Replace standard 18" length with any custom length from 10" - 24"



EXTRA

MECHANICAL PROTECTION

Cane mesh provides protection from cuts and lacerations caused by glass, sheet or scrap metal, and other sharp objects

KUT GARD® CANE MESH

STYLE NUMBER	ASTM	MATERIAL	CONSTRUCTION	PLY	COLOR	LENGTH	SIZE
30-6775W	A4	Nylon Cane Mesh	Cut-and-Sewn	2	■ White	7"	S - 4XL
30-6775B	A4	Nylon Cane Mesh	Cut-and-Sewn	2	■ Black	7"	S - 4XL
30-6795W	A4	Nylon Cane Mesh	Cut-and-Sewn	2	■ White	9"	S - 4XL
30-6795B	A4	Nylon Cane Mesh	Cut-and-Sewn	2	■ Black	9"	S - 4XL



HIGH CUT PROTECTION FOR FOOD PROCESSING

KUT GARD® FOOD PROCESSING

STYLE NUMBER	ASTM	MATERIAL	CONSTRUCTION	PLY	COLOR	STANDARD LENGTH
25-612	A9	PolyKor® Blend	Seamless Knit	1	■ White	12"
25-618	A9	PolyKor® Blend	Seamless Knit	1	■ White	18"
25-621	A9	PolyKor® Blend	Seamless Knit	1	■ White	21"
25-7612BB	A7	Dyneema® Blend	Seamless Knit	1	■ Bright Blue	12"
25-7612BG	A7	Dyneema® Blend	Seamless Knit	1	■ Bright Green	12"
25-7612GRN	A7	Dyneema® Blend	Seamless Knit	1	■ Dark Green	12"
25-7612NP	A7	Dyneema® Blend	Seamless Knit	1	■ Neon Pink	12"

Replace standard 18" length with any custom length from 10" - 24"

SPECIALTY APPLICATIONS SLEEVES

KUT GARD®



AR/FR PROTECTION

ANSI

A5

2

PPE

◀ **KUT GARD®**
10-KAM18

- Offers AR/FR and cut protection
- Excellent heat and flame resistance
- Thumb hole for additional protection all the way to the knuckle without sacrificing dexterity

APPLICATIONS: *Sheet Metal, Glass Handling, High Heat Areas, Electrical Repair and Maintenance, Automotive Manufacturing, Plastic Molding*



IDEAL FOR WELDING

ANSI
A2

◀ **KUT GARD®**
10-K4622

- Good cut protection
- Excellent thermal and flame protection from high heat
- Elastic top provides a snug fit to prevent debris from entering the sleeve
- Thumb hole for additional protection all the way to the knuckle without sacrificing dexterity

APPLICATIONS: *Welding, Automotive, Aerospace and Metal Fabrication*



11-45183

- Excellent thermal and flame protection from high heat
- Elastic top provides a snug fit to prevent debris from entering the sleeve

APPLICATIONS: *Welding, Aerospace, Metal Fabrication*



IDEAL FOR WELDING

FLAME, HEAT & SPARK PROTECTION

HEAT PROTECTION

STYLE NUMBER	ASTM	MATERIAL	CONSTRUCTION	PLY	COLOR	LENGTH
10-K4626	A2	60% FR Viscose / 40% DuPont™ Kevlar®	DuPont™ Kevlar® Wrist with Thumb Hole & Blue/Gold Elastic at Top	1	Yellow / Brown	26"
<i>Replace standard 18" length with any custom length from 10" - 24"</i>						
10-K4622	A2	60% FR Viscose / 40% DuPont™ Kevlar®	DuPont™ Kevlar® Wrist with Thumb Hole & Blue/Gold Elastic at Top	1	Yellow / Brown	22"
11-45182	---	FR Green Sateen	Elastic Overstitched at Both Ends	1	Green	18"
11-45183	---	FR Green Sateen	Blue/Gold Elastic at Both Ends	1	Green	18"
11-45153	---	FR Green Sateen	DuPont™ Kevlar® Wrist with Thumb Hole & Blue/Gold Elastic at Top	1	Green	15"

Replace standard 18" length with any custom length from 10" - 24"

800-262-5755 / www.pipusa.com



CUSTOM OPTIONS FOR

When it comes to arm protection, you don't have to settle for what's already out there.

Identify your safety need, then customize your solution by choosing the **Material, Size, and Option(s)** to maximize performance.

**Call PIP at
1-800-262-5755**

For part numbers and pricing for your order, or if a custom option you need is not listed here.



Orders will ship within 2 weeks
(up to 4 weeks for Pritex™ sleeves).

APPLICATION & MATERIAL

	MATERIAL	PLY	STRUCTURE	SIZES	
CUT PROTECTION				LENGTHS	STANDARD WIDTH
ANSI A9	PolyKor® Blend	1	Tube Knit	10" - 24"	3", 3.5" or 4"
ANSI A7	Dyneema® Blend	1	Tube Knit	10" - 24"	3", 3.5" or 4"
ANSI A6	ACP™ / Dyneema® Blend	1	Tube Knit	10" - 24"	3", 3.5" or 4"
	DuPont™ Kevlar®	1	Tube Knit		
ANSI A5	ACP™ / Kevlar® Blend	1 & 2	Tube Knit	10" - 24"	3", 3.5" or 4"
	ACP™ / Kevlar® Blend	1	Tube Knit		
ANSI A4	ACP™ / Kevlar® / Pritex™ Blend	1	Tube Knit	10" - 24"	3", 3.5" or 4"
	ACP™ / Dyneema® Blend	1 & 2	Tube Knit		
	Pritex™ / Kevlar® Blend	1	Tube Knit		
ANSI A3	ACP™ / Kevlar® Blend	1	Tube Knit	10" - 24"	3", 3.5" or 4"
	ACP™ / Dyneema® Blend	1	Tube Knit		
	DuPont™ Kevlar®	1 & 2	Tube Knit		
	Pritex™	1	Tube Knit		
ANSI A2	DuPont™ Kevlar®	1	Tube Knit	10" - 24"	3", 3.5" or 4"
	Dyneema® Diamond Technology	1	Tube Knit		
	Spun Dyneema®	1 & 2	Tube Knit		
	FR Viscose / DuPont™ Kevlar®	1	Cut-and-Sewn		
HEAT PROTECTION*	High Heat & Thermal	FR Viscose / DuPont™ Kevlar®	1	Cut-and-Sewn	
	FR Green Sateen	1	Cut-and-Sewn	10" - 24"	3", 3.5" or 4"
	DuPont™ Kevlar®	1	Tube Knit	10" - 24"	3", 3.5" or 4"
FOOD HANDLING	Light Heat				
	ACP™ / Dyneema® Blend	2	Tube Knit		
	Dyneema® Diamond Technology	1	Tube Knit		
	Pritex™	1	Tube Knit	10" - 24"	3", 3.5" or 4"
	PolyKor® Blend	1	Tube Knit		
	Dyneema® Blend	1	Tube Knit		
GENERAL PROTECTION					
	Cotton	1 & 2	Tube Knit		
	Duck	1	Cut-and-Sewn	10" - 24"	3", 3.5" or 4"
	Denim	1	Cut-and-Sewn		

*Not NFPA 2112 certified and not ARC-rated

Custom sizes available upon request

ENHANCED PERFORMANCE

ADDITIONAL OPTIONS

FINGER & THUMB OPTIONS



▲ Thumb Hole



▲ Thumb Slot (bar tack)



▲ Elastic Thumb

BEST SELLING OPTIONS



▲ Half Thumb



▲ Additional Bar Tacks for Fingers

TOP OF THE ARM OPTIONS



▲ Non-Slip Top



▲ 2" Blue/Gold Elastic



▲ 3/4" White Elastic

BEST SELLING OPTIONS



▲ Hook & Loop Closure



▲ Nylon Strap with Ring & Clip
(for shirt)



▲ Double Clip & Ring
110-SLEEVECLIP

BRINGING THE BEST OF THE WORLD TO YOU®

PERSONAL PROTECTIVE EQUIPMENT

