

Safety Data Sheet

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product name : Abrasive Flap Disc - Polymer Backed (Bob Cat, Trimmable Tiger, Cyclone Trimmable –

Anderson)

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Manufacturing

### 1.3. Details of the supplier of the safety data sheet

Weiler Corporation 1 Weiler Drive Cresco, PA 18326

### 1.4. Emergency telephone number

Emergency number : 570-595-7495

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

This product as manufactured is defined as an article per 29 CFR 1910.1200. No exposure hazards are anticipated during normal product handling conditions. In most cases, the material(s) removed from the workpiece may present a greater hazard than material released by the product. Based upon the materials that are contained within the working portion of this product it is possible that some dust particles from this product may be generated. The following safety data is presented for potential exposure hazards as associated with the dust particles that are related to this product.

### Classification (GHS-US)

Not classified

### 2.2. Label elements

### **GHS-US** labeling

This product as manufactured is defined as an article, therefore no labeling is required for the product as manufactured.

### 2.3. Other hazards

No additional information available

### 2.4. Unknown acute toxicity (GHS-US)

Not applicable

### SECTION 3: Composition/information on ingredients

# 3.1. Substance

Not applicable

### 3.2. Mixture

Name	Product identifier	%	Classification (GHS-US)	
Nylon 6	(CAS No) 25038-54-4	32	Not classified	
Aluminum oxide	(CAS No) 1344-28-1	18	Not classified	
Zirconium	(CAS No) 7440-67-7	18	Not classified	
Glass, oxide, chemicals	(CAS No) 65997-17-3	11	Carc. 1B, H350	
Carbon black	(CAS No) 1333-86-4	5	Not classified	
Epoxy Resin	None	5	Not classified	
Cryolite	(CAS No) 13775-53-6	1 - 15	Acute Toxin 4, H332 STOT wdh. 1, H372 Acute Toxin 4, H302 Aqu. Chron., H411	

Full text of H-phrases: see section 16

### **SECTION 4: First aid measures**

First-aid measures after inhalation : Remove victim from source of exposure to fresh air. If breathing is difficult administer oxygen.

Seek medical attention.

First-aid measures after skin contact : Wash with soap and water. Seek medical advice if skin irritation develops or persists.

07/28/2015 EN (English US) Page 1

# Safety Data Sheet

First-aid measures after eye contact : Flush with plenty of water for at least 15 minutes. Seek medical advice if irritation develops or

persists.

First-aid measures after ingestion : Seek medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : Dusts may cause coughing, shortness of breath. Prolonged breathing of dusts may affect

breathing capacity.

Symptoms/injuries after skin contact : Dusts may cause irritation. May cause abrasions.

Symptoms/injuries after eye contact : Dust may irritate or damage the eyes without protection.

Symptoms/injuries after ingestion : None under normal use.

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media : Use water, carbon dioxide, foam or dry chemical.

Unsuitable extinguishing media : None.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : None known. Explosion hazard : None known.

5.3. Advice for firefighters

Protection during firefighting : Firefighters should wear full protective gear.

### SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

### 6.1.1. For non-emergency personnel

No additional information available

### 6.1.2. For emergency responders

No additional information available

### 6.2. Environmental precautions

None.

### 6.3. Methods and material for containment and cleaning up

For containment : No special measures required. Methods for cleaning up : No special measures required.

## 6.4. Reference to other sections

No additional information available

### **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

Precautions for safe handling : Handle with care, avoid impact.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store dry at 20° C +/- 20 °C; 55-60% air humidity

### 7.3. Specific end use(s)

No additional information available

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

Aluminum oxide (1344-28-1)		
ACGIH	ACGIH Not applicable	
OSHA	OSHA PEL (TWA) (mg/m³)	15 mg/m³ (total dust) 5 mg/m³ (respirable fraction)

Zirconium (7440-67-7)		
ACGIH	ACGIH TWA (mg/m³)	5 mg/m³

07/28/2015 EN (English US) 2/6

# Safety Data Sheet

Zirconium (7440-67-7)			
ACGIH	ACGIH STEL (mg/m³)	10 mg/m <sup>3</sup>	
OSHA			
Carbon black (1333-86-4)			
ACGIH	ACGIH TWA (mg/m³)	3 mg/m³ (inhalable fraction)	
OSHA	OSHA PEL (TWA) (mg/m³)	3.5 mg/m³	
Glass, oxide, chemicals (659	97-17-3)		
ACGIH	Not applicable		
OSHA Not applicable			
Nylon 6 (25038-54-4)			
ACGIH	ACGIH Not applicable		
OSHA	Not applicable		

Note: Consideration should be given to the base material and coating that are being worked upon.

### 8.2. Exposure controls

### Appropriate engineering controls:

Utilize adequate ventilation to minimize the exposure to airborne particulates and maintain the concentration of contaminants below the occupational exposure limits.

### **Respiratory Protection:**

When exposure limits are exceeded or when the dust concentrations are excessive, approved respirators for those conditions should be used. When selecting the respiratory protection equipment, consideration of the exposure to the coating or the base materials being worked on should be included. Local regulations and standards should be followed where appropriate. The type of respiratory equipment used should be selected according to the contaminate type, form and concentration being produced. Select and use respirators in accordance with applicable regulations and good industrial hygiene practice.

### Hand protection:

The use of cloth or leather gloves is recommended.

### **Eye Protection:**

Safety googles or face shield over safety glasses with side shields.

### **Hearing Protection:**

Hearing protection may be required.

### Skin and body protection:

The use of protective clothing should be used as needed to prevent the contamination of personal clothing.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Solid

Color : Polymer disc coated with flaps of abrasive cloth

Odor : Odorless

Odor threshold : No data available pH : No data available Melting point : 400- 500°F
Freezing point : No data available Boiling point : No data available Flash point : No data available Relative evaporation rate (butyl acetate=1) : No data available

Flammability (solid, gas) : No data available
Explosion limits : No data available
Explosive properties : No data available
Oxidizing properties : No data available
Vapor pressure : No data available

07/28/2015 EN (English US) 3/6

# Safety Data Sheet

Specific gravity

: No data available Relative vapor density at 20 °C

Solubility : Insoluble

Log Pow : No data available Log Kow : No data available : No data available Auto-ignition temperature Decomposition temperature : No data available Viscosity : No data available Viscosity, kinematic No data available Viscosity, dynamic : No data available

#### 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No additional information available

### **Chemical stability**

The product is stable at normal handling and storage conditions.

### Possibility of hazardous reactions

Will not occur.

Carcinogenicity

#### 10.4. **Conditions to avoid**

None.

#### 10.5. Incompatible materials

None.

### **Hazardous decomposition products**

During use, griding dust is generated. Hazardous combustion products may include intense heat, dense black smoke, carbon monoxide, hydrogen cyanide, ammonia, aldehydes and carbon dioxide.

# **SECTION 11: Toxicological information**

### Information on toxicological effects

Specific target organ toxicity (single exposure)

Acute toxicity : Not classified

Aluminum oxide (1344-28-1)				
	LD50 oral rat	> 5000 mg/kg		

LD50 oral rat	> 5000 mg/kg
Carbon black (1333-86-4)	

LD50 oral rat	> 15400 mg/kg
Skin corrosion/irritation :	Not classified
Serious eye damage/irritation :	Not classified
Respiratory or skin sensitization :	Not classified
Germ cell mutagenicity :	Not classified

: Not classified

: Not classified

Carbon black (1333-86-4)	
IARC group	2B - Possibly carcinogenic to humans
In OSHA Hazard Communication Carcinogen	Yes

Notion 6 (25029 54.4)		
In OSHA Hazard Communication Carcinogen list	Yes	
IARC group	2B - Possibly carcinogenic to numans	

Nylon 6 (25038-54-4)	6 (23038-34-4)		
IARC group	3 - Not classifiable		
Reproductive toxicity :	Not classified		

07/28/2015 EN (English US) 4/6

# Safety Data Sheet

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

# **SECTION 12: Ecological information**

### 12.1. Toxicity

No additional information available

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

Effect on ozone layer : No additional information available

Effect on the global warming : No known ecological damage caused by this product.

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Waste disposal recommendations

 $: \ \, {\hbox{Dispose of contents/container in accordance with local/regional/national/international}} \, \\$ 

regulations.

### **SECTION 14: Transport information**

### **Department of Transportation (DOT)**

In accordance with DOT

Not a dangerous good as defined in transport regulations

## **SECTION 15: Regulatory information**

## 15.1. US Federal regulations

### Aluminum oxide (1344-28-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on SARA Section 313 (Specific toxic chemical listings)

SARA Section 313 - Emission Reporting 1.0 % (fibrous forms)

### Zirconium (7440-67-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### Carbon black (1333-86-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### Glass, oxide, chemicals (65997-17-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

# Nylon 6 (25038-54-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### 15.2. US State regulations

07/28/2015 EN (English US) 5/6

# Safety Data Sheet

Carbon black (1333-86-4)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significance risk level (NSRL)
Yes	No	No	No	

### **Aluminum oxide (1344-28-1)**

- U.S. Massachusetts Right To Know List
- U.S. Minnesota Hazardous Substance List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

# Zirconium (7440-67-7)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

### Carbon black (1333-86-4)

- U.S. Massachusetts Right To Know List
- U.S. Minnesota Hazardous Substance List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

### Glass, oxide, chemicals (65997-17-3)

U.S. - Minnesota - Hazardous Substance List

### **SECTION 16: Other information**

### Full text of H-phrases::

Carc. 1B	Carcinogenicity Category 1B
H350	May cause cancer
H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H372	Causes damage to organs through prolonged or repeated exposure. Target organs: lungs, skeleton.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

07/28/2015 EN (English US) 6/6